

KYOSHO AREA

"Serious about having fun". "Be true to your dreams".
Cultivating a corporate culture of emotional involvement with the organization.

We want to show society the value of enjoying life through the model hobby. Since its foundation, Kyosho has lived by this philosophy. And, there is no end to the pursuit of this goal. From each generation to the next, our unceasing search for ways people can have fun leads to continuous idea creation that takes shape in the form of truly innovative products.

CREATE YOUR OWN PATH...
KYOSHO

FUN

WITH THE SQUAD!



MINI-Z

CREATE YOUR OWN PATH
KYOSHO
FUN
WITH THE SQUAD!

© CHANGING 2017 KYOSHO COMPANY LTD.



MINI-Z SPORTS 2



readysel

EP

FHS2.4GHz System
FREQUENCY HOPPING SPECTRUM SYSTEM

1/27 R/C EP Touring Car
MINI-Z Racer Sports 2 MR-03

2WD Length : 124-133mm ● Width : 65-76mm ● Height : 34-35mm ● Wheelbase : 86-106mm ● Weight : 135g ● Motor : 130-class



PORSCHE 911 GT3 RS SILVER
(N-RM/KT19) #322315



PORSCHE 911 GT3 RS ORANGE
(N-RM/KT19) #322310R

Features the newly designed FHS 2.4GHz Perflex KT-19 transmitter. Equipped with trim to adjust the optional light unit.

● Features Perflex KT-19 transmitter. Steering volume adjustment possible ● Factory assembled with quality finish suitable for interior display ● All MINI-Z Racer bodies can be installed. *Requires compatible motor case and diff gear assembly ● Features unique front suspension (VCS) that delivers optimum camber change in concert with suspension stroke ● Spring stopper can be replaced with just two screws for easy replacement of coil spring on front suspension ● A huge variety of parts for MR-03 chassis can be installed ● Optional gyro unit (MZV431) can be installed. Adjust the gyro's sensitivity through the volume control on the chassis ● Also, this model is specially designed for the KT-19 transmitter so there is no compatibility with the former KT-18 transmitter/EX-5UR ASF ● transmitter (No.82011).



MAZDA ROADSTER CERAMIC METALLIC
(N-RM/KT19) #32230PW



MAZDA ROADSTER SOUL RED (N-RM/KT19) #32230R



MAC LAREN F1 GTR No.51 LM 1995
(W-MM/KT19) #32243HR



MAC LAREN MP4-12C GT3 SYNERGY GREEN (W-MM/KT19) #32244MG



MAZDA 787B No.55 LM 1991
(W-LM/KT19) #32241RE



LAMBORGHINI JOTA SVR RED
(N-RM/KT19) #32242R



Ferrari

Mini-Z

1/27 SCALE ELECTRIC TOURNING CAR

Ferrari Collection

LA FERRARI
#32212W



LA FERRARI
#32212Y



LA FERRARI
#32212R



ENZO
#32226R



ENZO CONCEPT
#32233R



599XX TEST CAR
#32224GR



458 ITALIA GT2
#32206MR

250 GTO
#32235R



512BB
#32236R



575GTC
#32239R



360GTC
#32238R



430GT
#32240R



DINO
#32234R



F40
#32227R



LA FERRARI RED CHROME
#32212GMR



Ferrari

OFFICIAL LICENSED PRODUCT

Produced under license of Ferrari Spa. FERRARI, the PRANCING HORSE device, all associated logos and distinctive designs are property of Ferrari Spa. The body designs of the Ferrari cars are protected as Ferrari property under design, trademark and trade dress regulations.

MINI-Z AWD Sports MA-020S

readyset®

FHS 2.4GHz
System
FREQUENCY HOPPING SPECTRUM SYSTEM

1/27 R/C EP Touring Car
MINI-Z AWD Sports MA-020S

● Newly developed AWD Sports chassis based on MA-020 chassis ● Special circuit board compatible with optional gyro ● Chassis features gyro sensitivity adjustment function ● Drift tires are installed as standard ● Readyset requires only batteries to be ready for action! ● Features 2.4GHz Perflex KT-19 transmitter that requires no setup of frequency bands ● Factory completed body comes with display model quality finish ● Features VCS (variable camber suspension) that adjusts camber in accordance with suspension stroke ● Coil spring on front suspension can be easily replaced without tools ● A wide range of optional parts is available to be installed ● Note: Optional ICS can NOT be used. Also, this model is specially designed for the KT-19 transmitter. It is not compatible with the KT-18 and EX-5UR ASF transmitters (No.82011). It is only compatible with the special (No.MZW431) gyro unit (sold separately).

NISSAN SKYLINE GTR
NISMO R32 (KT19) GUN
METAL #32138GM

NISSAN SKYLINE GTR R34
(KT19) V.SPEC NUR #32140MJ

NISSAN SKYLINE GTR
(KT19) DARK GREY #32141GR

NISSAN SKYLINE GTR R33 V-SPEC
(KT19) SILVER #32139S

NISSAN SKYLINE GTR R33 V-SPEC
(KT19) PURPLE #32139PU

NISSAN SILEIGHTY
(KT19) BLUE (w/LED) #32136BL

MAZDA ROASTER
BLUE REFLEX (KT19) #32137MB

MAZDA ROASTER
JET BLACK (KT19) #32137BK

NISSAN SILVIA AERO
(KT19) LIME GREEN
(w/LED) #32134PW

NISSAN SILVIA AERO
(KT19) LIME GREEN
(w/LED) #32134GT

NISSAN 180SX AERO
(KT19) BLACK (w/LED) #32135BK

NISSAN 180SX AERO (KT19)
WHITE (w/LED) #32135W

4WD ● Length : 164-165mm
● Width : 68-70.5mm ●
Height : 45-48mm ● Wheel-
base : 90mm ● Weight :
192g ● Motor : 130-class

Features the newly designed FHS 2.4GHz Perflex KT-19 transmitter. Equipped with trim to adjust the optional light unit.



MINI-Z

MR-03VE PRO

MINIZ MR03 VE PRO GP LIMITED CHASSIS SET #32880B



X-SPEED VE PRO KV12000 BRUSHLESS MOTOR	MHS 2.4GHZ SYSTEM For EX-6 TRANSMITTER	X4 HIGH SPEED RESPONSE	MHS 2.4GHZ SYSTEM For ASF3mm COMPATIBLE	FULL BEARING
--	--	------------------------	---	--------------

2WD ● Length: 117.7mm ● Width: 70-76mm ● Height: 35mm ● Wheelbase: 98.0mm (LL) ● Tread (F/R): 61.5-63.0mm ● Tire(F/R): 25x8.5mm (sold separately) / 25x8.5-11mm (sold separately) ● Gear Ratio: 7.3, 6.3, 5.5, 4.9/1 ● Weight: 135g (approx.) ● Motor Team ORION Xspeed VE PRO (KV12000)

Features newly developed Xspeed VE PRO brushless motor (12000KV) with built-in one-piece high heat dissipating heatsink aluminum case.

MINIZ MR03 VE PRO MM2 CHASSIS SET #32782B

MHS 2.4GHZ SYSTEM For ASF3mm COMPATIBLE	FULL BEARING
---	--------------



Equipped with the superior power characteristics of the Xspeed VE Eco Tune brushless motor (5600KV).

MINIZ MR03 VE PRO CHASSIS SET 15th ANNIVERSARY #32781

MHS 2.4GHZ SYSTEM For ASF3mm COMPATIBLE	FULL BEARING
---	--------------



Features the high durability and power of 8500KV Team ORION Xspeed VE brushless motor. Benefit from the extended RPM range and flat torque feel.

MINIZ MR03 VE PRO CHASSIS SET (W-MM) + KT18 TX #32742

MHS 2.4GHZ SYSTEM For ASF3mm COMPATIBLE	FULL BEARING
---	--------------



Equipped with the superior power characteristics of the Xspeed VE Eco Tune brushless motor (5600KV).

MINI-Z AWD

MA-020VE PRO

X-SPEED VE KV8500 BRUSHLESS MOTOR	MHS 2.4GHZ SYSTEM For EX-6 TRANSMITTER	X4 HIGH SPEED RESPONSE	MHS 2.4GHZ SYSTEM For ASF3mm COMPATIBLE	FULL BEARING
-----------------------------------	--	------------------------	---	--------------

MINIZ AWD MA020 VE PRO SP AWD CHASSIS SET #32171

4WD ● Length: 126mm ● Width: 65mm ● Height: 28.5mm ● Wheelbase: 90.0mm(M)-98.0mm(LL) ● Tread (F/R): 65-76mm / 65-76mm ● Tire (F/R): 25.0x8.5mm / 25.0x11mm (sold separately) ● Gear Ratio: 7.2, 6.4, 6.0, 5.7, 5.3, 5.0, 4.5 : 1 ● Weight: 135g (approx.) ● Motor: 8500KV Xspeed VE Brushless



Powerful Xspeed VE brushless motor boasts 8500KV. Includes limited specification red anodized aluminum motor sleeve as standard.

MINI-Z SPORTS Buggy

LAZER ZX6 KOHTA
AKIMOTO
#32083KA



LAZER ZX6
JARED TEBO
#32083JT



readysel **FHS2.4GHz System**
FREQUENCY HOPPING SPECTRUM SYSTEM

1/24 R/C 4WD Racing Buggy
MINI-Z BUGGY SPORTS

4WD • Length: 167mm • Width: 106mm • Height: 68mm • Wheelbase: 115mm • Tread (F/R): 89mm/89mm • Tire (F/R): F37 x 13.5mm/F37 x 18.5mm • Weight: 200g (approx.) • Motor: 130 class • Battery AAA alkaline x 4 • R/C System KT-19 FHS 2.4 GHz



INFERNO MP9
TK13 BLUE/BLACK
#32081BB



INFERNO MP9 TK13
BLUE/RED
#32081BR



Mini-Z SPORTS OVERLAND

readysel **FHS2.4GHz System**
FREQUENCY HOPPING SPECTRUM SYSTEM

1/27 R/C 2WD Cross Country Car
MINI-Z OVERLAND MV01 SPORTS



MERCEDES G55L AMG RED
#32061R



MERCEDES G55L
AMG GREEN
#32061G



HUMMER H2 RED
#32062R



HUMMER H2 BLUE
#32062BL



readysel **FHS2.4GHz System**
FREQUENCY HOPPING SPECTRUM SYSTEM

1/27 R/C 2WD Monster EX
MINI-Z MONSTER EX



MADFORCE
BLACK MAT
#30093BK



MOTORACER

MINI-Z Radio Controlled Electric Powered Motorcycles MC-01 2.4GHz

readysel

1/18 R/C Motorcycle
MINI-Z MOTO MC01

HONDA REPSOL
No.26
#30053DP



YAMAHA YZR-M1 WGP
#30051GP



For aircraft, yachts, cars and DRONE RACER

Syncro
KT631ST
2.4GHz Digital Proportional Radio Control System

FHS2.4GHz System
FREQUENCY HOPPING SPECTRUM SYSTEM
SYNCRO 6CH KT631ST
#82631M2

- 6 channels • Control Resolution: 1024
- Frequency: 2.4GHz • Modulation System: FHS5 telemetry system
- Transmitter: W174xL89xH190mm Receiver: W25.5xL47xH15mm
- Weight Transmitter: 400g (without batteries)
- Receiver: 17g • Power Source Transmitter: 4 x AA alkaline batteries (6V)
- Receiver: DC4-6.5V • Antenna Output: 1.5mW/MHz • Range Air: 500m, Land: 300m, Water: 150m

Syncro
KT-431S **FHS2.4GHz System**
SYNCRO 4CH KT431S
#82431M2



For aircraft, yachts, cars and DRONE RACER



For **MINI-Z**

MR-03VE, MA-020VE PRO

Syncro
EX-6
R
MHS2.4GHz ASF2.4GHz System
FREQUENCY HOPPING SPECTRUM SYSTEM

EX6R MINI-Z TRANSMITTER
#82031

- Length: 163mm • Width: 107mm
- Height: 230mm • Weight: 533g (not including batteries)
- Power Consumption: Less than 150mA
- Channels: 4 • Frequency: 2.4GHz (MHS/ASF) • Model Memory: 40

- High-end multifunction transmitter incorporates MHS 2.4GHz system for the fastest processing speed in MINI-Z history and vastly improved operability
- Backward compatibility allows switching between MHS and ASF 2.4GHz systems
- Features the broad functionality expected of a high-end transmitter
- Features 2.7inch LCD. Screen display can be switched in English
- Throttle and steering spring tension can be adjusted.

Syncro touch
KT-432PT **FHS2.4GHz System**
FHS/FHS 2.4GHz TELEMETRY SYSTEM
FREQUENCY HOPPING SPECTRUM SYSTEM
KT-432PT TRANSMITTER
#82136



KT-432P with TRANSMITTER & RECEIVER
#82138

For **MINI-Z**



LAP COUNT SYSTEMS & CIRCUITS



Lap counting system for **DRONE RACER** racing events

DRONE RACER Lap Counter
Basic Set (Shop ed.) #32031
Signal Set (Shop ed.) #32032
Gate LED (Shop ed.) #32033
Floor LED (Shop ed.) #32034

Dnano IC TAG COUNTER HOME EDITION
#32011



IC TAG MINI-Z
#MZW113

MINI Z GRAND PRIX CIRCUIT (48 MATS)
MODEL 50X50 #87052B
MODEL 30X30 #87032B

Basher





readysert EP

AXXE 1:10 EP BUGGY (KT231P)

#34401T4B T4 GREY

#34401T6B T6 GREEN



1:10 SCALE ELECTRIC POWERED 2WD BUGGY



**Syncro
KT-231P**

2WD • Length: 410mm • Width: 230mm
• Height: 172mm • Wheelbase: 262mm •
Tread (F/R): 190mm / 190mm • Tire (F/R):
100mm x 36mm / 100mm x 36mm •
Gear Ratio: 8.76 : 1 • Weight: 1750g approx.
(battery included) • Motor: 22-turn
540-type • R/C System Syncro KT-231P

KIT EP NEXXT

NEXXT KIT

#30835T1



**STARTER SET EZ
SERIES KITS**

#82141



Waterproof Vortex
WP Brush 45A ESC
included boasts a large
45A capacity. ESC
is easily set with or
without reverse
and can be switched
from Ni-MH to
Li-Po battery
by changing the
jumper connector.



ORION Includes ORION
battery and charger.

DIRT HOG

1:10 SCALE ELECTRIC POWERED 4WD BUGGY

readysert EP

DIRT HOG EP BUGGY (KT231P)

#34351T1B YELLOW

#34351T2B RED



**Syncro
KT-231P**



ORION Includes ORION
battery and charger.

4WD • Length: 365mm (393mm with wing) • Width: 248mm • Height: 121mm
(147mm with wing) • Wheelbase: 272mm • Tread (F/R): 220mm / 214mm • Tire (F/R): 87
x 32mm / 87 x 42mm • Gear Ratio: 8.24 : 1 • Weight: 1,680g (approx.) • Motor: 20-turn
540-type [G2X] • R/C System: Syncro KT-231P

ULTIMA RB6

1:10 SCALE ELECTRIC POWERED 2WD BUGGY

readysert EP

ULTIMA RB6

#30858RS



**NEON
ONE**



**Syncro
KT-201**

2WD • Length: 395mm • Width: 249mm • Height: 140mm •
Wheelbase: 285mm • Tread (F/R): 221mm/201mm • Tire (F/R): 80
x 29mm/86 x 43mm • Gear Ratio: 2.6:1 (2nd) • Weight:
1620g (approx.) • Motor: Kv 2700 sensorless brushless •
ESC R10 sport • R/C System 2.4GHz 2ch Perflex KT-201

1:10 SCALE ELECTRIC POWERED 4WD RACING BUGGY

MAD BUG

readysset EP

MADBUG VEI
#34354T3



4WD • Length: 420mm • Width: 285mm
• Height: 198mm • Wheelbase: 272mm
• WheelTread (F/R): 213mm / 206mm • Tire (F/R): 101mmx50mm / 101mmx50mm
• Gear Ratio: 9.23:1 • Weight: 2100g
• Motor/ESC: Team Orion dDrive KV2700
• R/C System: Syncro KT-231P

VORTEX
dDRIVE
INTELLIGENT MOTOR SYSTEM

ORION

RAGE VEI

readysset EP

RAGE VEI
#34353B

1:10 SCALE ELECTRIC POWERED 4WD RACING BUGGY



Syncro
KT-231P



ORION Includes ORION battery and charger.



4WD • Length: 395mm • Width: 287mm • Height: 152mm • Wheelbase: 272mm • Tread (F/R): 213mm / 206mm
• Tire(F/R): 101mm x 50mm / 101mm x 50mm • Gear Ratio: 9.62:1 • Weight: 1764g (approx.) • Motor Orion NEON ONE brushless motor (KV-2400) • R/C System Syncro 231P

VORTEX
dDRIVE
INTELLIGENT MOTOR SYSTEM
ORION



ULTIMASC6

1:10 SCALE ELECTRIC POWERED 2WD SHORT COURSE

readysset EP

ULTIMA SC6
#30859RS



VORTEX
dDRIVE
INTELLIGENT MOTOR SYSTEM

ORION



Syncro
KT-331P



2WD • Length: 550mm • Width: 296mm • Height: 150mm • Wheelbase: 330mm
• Tread (F/R): 245mm/248mm • Tire(F/R): 110x44mm/110x44mm • Gear Ratio: 10.95:1
• Weight: 2000g (approx.) • Motor: VORTEX dDRIVE • R/C System Syncro 331P



BEETLE

OFF-ROAD RACER

2WD • Length: 398mm • Width: 236mm • Height: 165mm • Wheelbase: 263mm • Tread (F/R): 198mm / 195mm • Weight: 1040g approx. (w/out R/C system & battery) • Motor 540-class (sold separately)

KIT EP

BEETLE 2014
1/10 EP 2WD
#30614



Vintage Series

OPTIMA

4WD OFF-ROAD RACER

2WD • Length: 395mm • Width: 240mm • Height: 120mm • Wheelbase: 260mm • Tread (F/R): 204mm / 204mm • Weight: 1600g approx. (w/out R/C system & battery) • Motor 540-class (sold separately)

KIT EP

OPTIMA
1/10 EP 2WD
#30617



2WD • Length: 408mm • Width: 256mm • Height: 155mm • Wheelbase: 273mm • Tread (F/R): 218mm / 215mm • Weight: 1500g approx. (w/out R/C system & battery) • Motor 540-class (sold separately)

KIT EP
TURBO SCORPION
1/10 EP 2WD
#30616

OFF-ROAD RACER
TURBO SCORPION
1/10th SCALE RADIO CONTROL ELECTRIC POWERED RACING BUGGY

2WD • Length: 380mm • Width: 236mm • Height: 145mm • Wheelbase: 263mm • Tread (F/R): 198mm / 195mm • Weight: 905g approx. (w/out R/C system & battery) • Motor 540-class (sold separately)

KIT EP

TOMAHAWK
1/10 EP 2WD
#30615

TOMAHAWK

OFF-ROAD RACER

1/10th SCALE RADIO CONTROL ELECTRIC POWERED RACING BUGGY



2WD • Length: 398mm • Width: 236mm • Height: 145mm • Wheelbase: 263mm • Tread (F/R): 198mm / 195mm • Weight: 985g approx. (w/out R/C system & battery) • Motor 540-class (sold separately)

KIT EP

SCORPION
1/10 EP 2WD
#30613

SCORPION

OFF-ROAD RACER

1/10th SCALE RADIO CONTROL ELECTRIC POWERED RACING BUGGY



readysset EP

1970 Chevy Chevelle
SSTM454 LS6
Cranberry Red
#34053T1

4WD • Length: 489mm • Width: 207mm • Height: 138mm • Wheelbase: 274mm • Tread (F/R): 174mm / 174mm • Tire(F/R): 68.5x26mm / 68.5x26mm • Gear Ratio 6.34:1 • Weight 1500g (approx.)



Chevelle

SS⁴⁵⁴ LS6
1970 CHEVY®

FAZER VE*i*

1/10 SCALE ELECTRIC POWERED 4WD TOURING CAR



VORTEX DRIVE
INTELLIGENT MOTOR SYSTEM
ORION



Synco
KT-231P



ORION *Includes ORION battery and charger.

readysset EP 1970 Chevy Chevelle
SSTM454 LS6 - Fathom Blue
#34053T2

FAZER Drift

1/10 SCALE ELECTRIC POWERED 4WD TOURING CAR

readysset
Toyota Supra Type 1
Fazer Drift
#34061T1



Features water-proof VORTEX WP Brush 45A ESC. Boasting a maximum continuous current of 45A, the ESC allows easy setting of reverse on/off.



Synco
KT-231P



540-class G2X (20T) brushed motor

4WD • Length: 455mm • Width: 210mm • Height: 120mm • Wheelbase: 260mm • Tread (F/R): 174mm / 174mm • Tire(F/R): 68.5x26mm / 68.5x26mm • Gear Ratio 6.34:1 • Weight 1700g (approx.)

FAZER VE

Porsche 918 Spyder
SILVER #30917T1
WEISSACH #30917T2

readysset EP



FAZER VE-X

readysset EP Subaru Impreza KX1
#30913T1



1:10 SCALE .15 ENGINE POWERED 4WD TOURING CAR SERIES

FW-06™

readyset GP

PureTen FW06


AUDI R8 LMS - RED
 #33205


4WD • Length: 372mm • Width: 200mm • Height: 100mm (approx.) • Ground Clearance: 5mm • Wheelbase: 258mm • Tread (F/R): 176mm • Tire (F/R): 64x24mm • Gear Ratio: 7.47 / 5.44:1 • Weight: 1800g (approx.) • Engine GXR15 with recoil starter


GXR15 ENGINE

PORSCHE 911 GT3RSR
 #33203


- Loaded with GXR15 engine with slide carburetor fitted with slow idle adjustment and return spring
- Reliable universal swing shafts included on front
- Turnbuckle tie-rods used for steering rod and rear upper arms for fully adjustable alignment
- KYOSHO's proven center-shaft drive 4WD provides light control response
- Disk brakes deliver reliable and responsive braking control
- Unique compact recoil starter without one-way clutch realizes lower resistance and starts the engine with a pull on the starter cord
- Equipped with a total of 22 ball bearings for highly-efficient, full-bearing specification
- Fitted with tuned muffler and large air cleaner
- High-grip rubber tires with inner sponge supports are pre-glued onto wheels
- Compatible with many FW-05 parts. *Not compatible with some parts
- Includes plug heater (batteries sold separately) and fuel bottle.


CORVETTE C6-R
 #33202

1:9 SCALE .18 ENGINE POWERED 4WD RADIO CONTROLLED TOURING CAR SERIES

DRX VE

readyset EP
DRX VE FORD FIESTA S2000
 #30881RS


4WD • Length: 563mm • Width: 260mm • Height: 187mm • Wheelbase: 316mm • Tread (F/R): 215mm/215mm • Tire (F/R): 93x38mm • Gear Ratio: 8.86:1 • Weight: 2600g approx. • Motor Team Orion R10 EVO. Motor KV2400 sensorless brushless motor installed • ESC Vortex R10 Sports • Battery 7.2V NiMH, 7.4-11.1V Li-Po or Li-Fe (sold separately)



V-ONE R4s II

1:10 .15 ENGINE POWERED 4WD TOURING CAR SERIES

NEW
KIT GP
V-ONE R4S II 1:10 PURE10
 #33206


4WD • Length: 368mm • Width: 200mm • Height: 105mm • Wheelbase: 258mm • Tread (F/R): 174/170mm • Gear Ratio: 1st gear 8.13 : 1 / 2nd gear 5.6 : 1 • Tires 1/10 rubber tires (sold separately) • Weight: 1650g (approx.) • Engine 12-class engine with rear exiting exhaust

- Specially designed for engines with rear exiting exhaust as preferred by rubber tire users
- Feel improved overall grip balance through chassis roll from the specially designed R4s II main chassis
- Black FRP radio plate contributes to optimal chassis roll for improved road grip feel
- Gear diff equipped on front section provides increased scope for setting adjustment
- Centrifugal clutch requires no adjustment (separate clutch shoes) Centrifugal clutch requires no adjustment (separate clutch shoes)
- Most standard parts and optional parts for the Evo. can be used without modification to further increase performance and customization.

NEW

Inferno GT3

1:8 SCALE GP 4WD TOURING CAR



KIT GP
INFERNO GT3
 #33010

4WD • Length: 537mm • Width: 310mm
 • Height: 116mm (without engine, body post)
 • Wheelbase: 359mm • Tread: (F/R) 262mm/266mm • Tires: (F/R) Sold separately (rubber tires for 1/8) • Gear Ratio: 1st speed 10.14:1 / 2nd speed 7.90:1 • Weight: 3270g approx. • Engine 21 class rear exhaust engine (sold separately)

- Pure racing chassis kit based on Inferno MF9 TK14, designed for circuit racing
- Significantly lighter diff than the GT2 realizes improved throttle response
- Short Big Bore Shocks and shock springs based on buggy version design
- High-rigidity shock stay realizes full performance of oil shocks
- New type large urethane bumper increases crash resistance
- Choice of forward and rear mounting positions available for body mounting post. Bodies for GT2 can also be mounted
- Includes the proven 2-speed unit with clutch shoes from the GT2
- Gun metallic aluminum parts enhance the GT3's formidable style
- Standard and optional parts for the MF9 can be installed to further increase performance.

Inferno GT2

RACE SPEC

1:8 SCALE 4WD TOURING CAR

4WD • Length: 515mm • Width: 310mm • Height: 135mm • Wheelbase: 360mm • Tread: (F/R) 262mm/265mm • Tires: (F/R) 97mm x48mm • Weight: 3650g approx.



ORION
VORTEX R8
 Vortex R8 with Cooling Fan



readysset EP
AUDI R8 LMS
RED
 #34102



SYNCRG
KT-331P F4SS

readysset GP
AUDI R8 LMS
RED
 #33006



KE25 ENGINE





ULTIMATE READYSET

readyset GP

INFERNO NEO 2.0
READYSET T3
#33003T3B



4WD • Length: 469mm • Width: 307mm • Height: 189mm • Wheelbase: 325.5mm • Tread: (F/R) 258mm / 261mm • Tires: (F/R) 116x44mm / 116x44mm • Road Clearance: 28mm approx. • Gear Ratio: 11.56:1 (gear module 1.0) • Weight: 3400g approx • Engine KE21R • RC System 2.4GHz Syncro KT-231P • Receiver KR-331 • Servo KS5031-09MW

INFERNO NEO 2.0

1:8 SCALE ENGINE POWERED 4WD RACING BUGGY



readyset GP

INFERNO NEO 2.0
READYSET T4
#33003T4B

KE21R ENGINE



1:8 SCALE ENGINE POWERED 4WD RACING BUGGY

Inferno MP9 'TKI3

readyset GP

INFERNO MP9 TKI3
#31889T1



4WD • Length: 490mm • Width: 307mm • Height: 180mm • Chassis Type Full Time 4WD with 3 diff shaft drive • Wheelbase: 325mm (4 settings with rear hub collar position) • Tread: (F/R) 254mm (change bushes for 3 rear and 2 front settings) • Tire: (F/R) Micro Square Pin Type : 116 x 44mm (both F/R) • Gear Ratio 11.7:1 • Weight: 3370g approx. • Engine KE21R (recoil starter installed / rear exhaust)



KE21R ENGINE



Syncro
KT-331P

1:8 SCALE BRUSHLESS MOTOR POWERED 4WD RACING BUGGY

Inferno MP9E

TK1

readysel EP

INFERNO MP9E TK1

WHITE/BLACK

#30874T1

4WD • Length: 490mm
• Width: 307mm • Height: 180mm • Ground Clearance: 28mm • Wheelbase: 325mm (change rear hub collar positions - 4 settings) • Tread: (F/R) 254mm (replace bushings - 3 rear, 2 front settings) • Tire: (F/R) 116 x 44mm (F/R) • Gear Ratio: 12.6:1 • Weight: 3370g approx.
• Motor Team Orion NEON8 Brushless • Battery (sold separately) 7.2V NiMH x 2 (recommended : Sports Power 4500/ with super plug) • Battery Note Super (Deans) plug only



1:8 SCALE BRUSHLESS MOTOR POWERED 4WD RACING BUGGY

Inferno VE

readysel EP

INFERNO VE TYPE 2

#34101T2B

4WD • Length: 496mm • Width: 307mm • Height: 189mm • Wheelbase: 323-328mm • Tread (F/R): F : 258mm/R : 261mm • Tire(F/R): F115 x 45mm/ F115 x 45mm • Gear Ratio: 12.7:1 • Weight: 3,550g approx. • Motor: Team ORION NEON 8



EXTREME PURPOSE DESIGN

DBX VE 2.0

1:10 SCALE BRUSHLESS MOTOR POWERED 4WD RACING BUGGY

readysel EP

DBX VE 2.0 TYPE 2

#34201T2B

4WD • Length: 475mm • Width: 300mm • Height: 154mm • Wheelbase: 320mm • Tread: (F/R) 246mm/246mm • Tire: (F/R) 115 x 45mm / 115 x 45mm • Gear Ratio: 8.87:1 First reduction 2.88 (46T/16T) - Second reduction 3.08 (450T/13T) • Weight: 2370g approx. • Motor Team ORION VORTEX 10 EVO



ORION
VORTEX

1:8 SCALE RADIO CONTROLLED 4WD MONSTER TRUCK
readysset EP
FO-XX VE
 #34251RS


4WD • Length: 545mm • Width: 383mm • Height: 248mm • Ground Clearance: 54.5mm • Wheelbase: 360mm • Tread: (F/R) 310mm / 312mm • Tire: (F/R) 155 x 70.5mm • Weight: 4650g • Motor Team Orion NEON 8BL • ESC Team Orion Vortex R8 • Battery (sold separately) 7.4V Li-Po x 2 (recommended 14.8V: Team Orion 25-1P Li-Po series Super plug type. Or 7.2V Ni-MH x 2 (14.4V) Super plug type)



4WD • Length: 545mm • Width: 383mm • Height: 248mm • Ground Clearance: 54.5mm • Wheelbase: 360mm • Tread (F/R): 312mm / 312mm • Tire (F/R): 155x70.5mm / 155x70.5mm • Gear Ratio: 25.7 / 19.8 / 15.6:1 • Weight: 4200g approx. • Engine: KYOSHO KE25 with recoil starter

1:8 SCALE RADIO CONTROLLED 4WD MONSTER TRUCK

MAD FORCE

Kruiser 2.0

readysset EP
MADFORCE KRUISER 2.0 VE
 #30888RS

Syncro
 KT-231P

readysset GP
MADFORCE KRUISER 2.0
 #31229RS

4WD • Length: 545mm • Width: (EP) 383mm (GP) 415mm • Height: (EP) 248mm (GP) 245mm • Wheelbase: 360mm • Tread: (EP) (F/R) 310mm / 312mm / (GP) (F/R) 310mm / 310mm • Tire: (EP) (F/R) 155 x 70.5mm / (GP) (F/R) 160 x 100mm • Weight: (EP) 4650g / (GP) 4100g • Motor (EP) Team Orion NEON 8BL / Engine KE25 with Recoil Starter • ESC (EP) Team Orion Vortex R8 • Battery (EP) 7.2V Ni-MH x 2 (14.4V) Super plug type)

1:8 SCALE BRUSHLESS POWERED 4WD MONSTER TRUCK

PSYCHO KRUISER

readysset EP
PSYCHO KRUISER VE
 #34252RS

Syncro
 KT-331P

TEAM ORION NEON 7 BRUSHLESS MOTOR

4WD • Length: 550mm • Width: 427mm • Height: 230mm • Wheelbase: 355mm • Tread (F/R): 289mm / 289mm • Tire (F/R): 148 x 66mm / 148 x 66mm • Gear Ratio: 12.375:1 • Weight: 4650g • Motor: 1500Kv Team Orion Neon 7 brushless motor

6S Li-Po Compatible

1:8 SCALE .25 POWERED 4WD STADIUM TRUCK

INFERNO NEO ST

RACE/SPEC

readysel GP

INFERNO NEO ST RACE 2

#330021B



KE25 ENGINE

'KE25' engine with recoil starter delivers powerful performance and easy starting. Includes two reducers, blue for break-in and silver for normal running.



● Pre-assembled Readysel with completed body features the latest Inferno chassis layout ● 2.4GHz Syncro KT-331P transmitter & pre-installed KR-231 receiver automatically manage frequency band control ● Includes fuel bottle and plug heater to reduce user's cost ● Same body form as the previous version but with a new racy color scheme to suit the Race Spec features ● Interchangeable key parts to the highest 'Inferno ST RR Evo.2' model to increase performance ● Compatible with a wide range of optional parts for Inferno series.

4WD ● Length: 550mm ● Width: 427mm
● Height: 225mm ● Wheelbase: 355mm
● Tread (F/R): 289mm/289mm ● Tire(F/R): 148 x 66mm/148 x 66mm ● Gear Ratio: 14.6:1 ● Weight: 3750g approx. ● Engine: KE25 ● R/C System: 2.4GHz Syncro KT-331P ● Receiver: 2.4GHz Syncro KT-331 ● Servo: KS5031-09MW



B-SCORPION BAXXL

readysel GP

SCORPION BAJA-XXL

#31875RS

(GP BAJA-XXL) - 2WD ● Length: 665mm ● Width: 430mm ● Height: 230mm ● Wheelbase: 435mm ● Tread(F/R): 365 / 365mm ● Tire(F/R): 140x55mm / 140x55mm ● Gear Ratio: 15:1 ● Weight: 5,400g approx. (with body) ● Engine: KYOSHO XXL32R ● RC System: 2.4GHz Syncro.KT-201



XXL ENGINE

readysel GP

SCORPION XXL

#31873T1



B-SCORPION BAXXLVE

readysel EP

SCORPION BAJA-XXL VE

#30974RS

XXL

Length 665mm!!

1:12 SCALE ELECTRIC POWERED BELT VEHICLE

BLIZZARD FR

readysel EP
BLIZZARD FR

#34901



Length: 365mm • Width: 320mm • Height: 220mm • Weight: 1650g (approx.) • Motor 370 type x 2 • ESC KA17W(twin) • Battery 7.2V 1800 Ni-MH • R/C System 2.4GHz 3-ch 1-servo



Pre-installed twin 370 motors and KA17W ESCs provide free control of movement with independent left/right drive systems controlled by left and right sticks on the transmitter.

Vertical operation of the blade arm is controlled by moving the 3rd channel control stick left or right. KS4031-06V servo delivers powerful movement to the arm.

BATTERY & AC CHARGER
TRON


- Ready set has everything factory completed ● Twin ESC and continuously variable transmission is completed with the twin motors ● Freedom of forward and reverse, left and right movement, and the ultra-pivot turn by the independent left and right transmissions ● The shovel arm is moveable, allowing various actions ● Equipped with suspension on all wheels ● Band management-free 2.4GHz radio system pre-installed.

1:8 SCALE ELECTRIC POWERED BIKE

HANGING ON RACER

Metal Version 3rd gear

Recreation of the S.R.T. RGV that competed in the 1991 Road Racing World Championship Grand Prix (WGP) 500cc class. All Japan Road Race Championship ● Two kinds of racing number (No.55 & No.5) are included with the decal ● Features chain drive system incorporating sprocket and mini chain, similar to a real motorbike ● Includes Le Mans DM20 motor with moderate power and easy control characteristics ● Unique S.D.S.S enables full bank cornering ● Twin tube style mainframe optimizes space utilization with air-cooling ● Inverted front fork suspension ● Rear suspension uses asymmetrical swing arm with mono-shock friction damper.



3rd gear changed from resin to metal to increase strength of drive train and improve durability.

Power of the Le Mans DM20 motor is transferred to the chain drive system through the drive chain and sprocket. Optional reinforced sprocket is also available.



Length: 270mm • Width: 98mm • Height: 190mm • Wheelbase: 185mm • Tire: (F/R) 78x18mm / 86x23mm • Gear Ratio: 13.80.1 / 19.30.1 • Weight: 750g (approx.) • Motor Le Mans DM20

KIT EP
HONDA NSR500 1991
 #34932B

KIT EP
SUZUKI RGV 1992
 #34931B

RACING

ONROAD & OFFROAD



TEAM KYOSHO INTERNATIONAL
European Red Samurai





PLAZMA Lm CARBON EDITION

1:12 SCALE ELECTRIC POWERED 2WD RACING CAR

KIT EP

PLAZMA LM
CARBON EDITION



TOYOTA GT-One TS020 No.27
#309327C

PORSCHE 962 JOEST RACING No.9
#309326C

NISSAN R90CP
#30925C



- Polycarbonate pre-cut, printed body
- Body is equipped with sponsor decals and scale parts. Only a few steps are needed to complete
- Compatible with 2-cell 7.4V Li-Po or 7.2V Ni-MH batteries
- Compatible with both 380 and 540 class motors
- Drive train fully equipped with ball bearings (9 included)
- Compatible with standard size servo and ESC as well as mini servo
- Easily detachable large-size diffuser improves rear traction.

JAGUAR XJR14 CASTROL No.4
#30928C

PLAZMA Lm

KIT EP

MAZDA 787B
#30924



2WD ● Length: 408mm ● Width: 170mm ● Ground Clearance: 6mm approx.
● Wheelbase: 233mm ● Tire: (F/R) 56×36.5mm / 54×36.5mm ● Gear Ratio:
1:3.875 ● Weight: 900g approx. ● Motor: 380 or 540 type (sold separately)



1:10 SCALE ELECTRIC POWERED 4WD TOURING CAR

KIT EP

TF7
#30026



4WD ● Length: 368mm ● Width: 186mm ● Wheelbase:
255-260mm ● Tread: (F/R) 162mm/161mm ● Tire: (F/R)
sold separately ● Gear Ratio: 1.90:1 (2nd) ● Weight
1350g (approx.) ● Motor 540 size (sold separately)



Symmetrical arrangement of bulkhead and motor mount screws realizes uniform left/right chassis roll.



Equipped with aluminum servo mount. Cantilever structure fixed by floating mount minimizes the servo's impact on chassis roll characteristics.

2 belt drive 4WD chassis has been completely redesigned to be at the leading edge of competitive racing. Equipped with double joint universal swing shafts that maximize effectiveness with front speed. 2nd gear ratio of 1.83:1 on the TF7 has been changed to 1.90:1 on the TF7 for improved throttle response. Larger pulley extends life cycle of the drive belt. Aluminum one piece motor mount compatible with high power minimizes gear trouble during racing. Adjustable battery stopper allows various battery sizes to be installed. Standardized front/rear bulkheads optimize chassis balance as well as improve spare parts efficiency. Stabilizer is compatible with the Ultima and Lazer electric off-road models.

LAZER ZX6.6

1:10 SCALE ELECTRIC POWERED 4WD RACING BUGGY

KIT EP

LAZER ZX6.6

#30047B



4WD • Length: 385mm • Width: 248mm • Height: 145mm
/ Wheelbase: 278mm • Tread: (F/R) 210mm / 280mm •
Tire: (F/R) Sold separately • Gear Ratio: 10.26:1 / Spur
78T / Pinion 18T • Weight: 1650g (approx.) • Motor Sold
separately

Multiple setting options at low precision setting of traction level by adjusting the oil viscosity on the center diff unit, which is included as standard.



Choose forward or back mounting position for the center midship motor as well as short or separate battery mounting configurations.



Adoption of the gullwing type rear sus arms from the ULTIMA RB6.6 and 5 shock mounting positions (increased from 3 in the ZX6), provides wider scope for setting adjustment.

ULTIMA RB6.6

1:10 SCALE ELECTRIC POWERED 2WD RACING BUGGY

KIT EP

ULTIMA RB6.6

#34302B



2WD • Length: 395mm • Width: 249mm • Height: 140mm
• Wheelbase: 285mm • Tread (F/R): 221mm/201mm •
Tire: (F/R) sold separately • Gear Ratio: 2.60:1 (secondary
reduction ratio), Spur 76T/pinion gear sold separately •
Weight: 1620g (approx.) • Motor: sold separately

VARIOUS TRANSMISSION SETUPS

LOW DOWN MIDSHIP



4-GEAR MIDSHIP



REAR MOTOR



3-GEAR MIDSHIP



Battery can be oriented straight or sideways (with midship layout) for precision adjustment of chassis weight distribution to suit the grip and layout of various racing courses.

ULTIMA SC6

1:10 SCALE ELECTRIC POWERED 2WD SHORT COURSE

KIT EP

ULTIMA SC6

#30070B

2WD • Length: 550mm • Width: 296mm
• Height: 150mm • Wheelbase: 330mm •
Tread: (F/R) 246/248mm • Tire: (F/R) Not
Included • Gear Ratio: 2.6:1 • Weight: 2000g
approx.



Extended shortcourse length 7075 hard anodized aluminum chassis. Virtually unlimited battery positioning up and down the chassis with standard, shorty, or saddle pack batteries.



1:8 SCALE 21-ENGINE POWERED 4WD RACING BUGGY

Inferno MP9

'TK14

EIGHT TIME IFMAR WORLD CHAMPION

KIT GP

INFERNO MP9 TK14

#33001

4WD • Length: 490mm • Width: 307mm • Height: 180mm • Ground Clearance: 28mm • Wheelbase: 325mm (4 settings with rear hub gear position changes) • Tread: (F/R): 254mm (2 front settings, 3 rear settings with bush changes) • Tire: (F/R) sold separately • Gear Ratio: 11.7:1 • Weight: 2950g (approx.) • Engine: 21-class engine (sold separately)

JK Design & Technology
Yuichi Kanai

IFMAR 1:8 GP Official World Championship 2000 Winner



AIR CLEANER

Newly tool-cut air cleaner holder and fuel filter holder prevent rupture of fuel pipe to avoid engine trouble.

SUS ARM

Front suspension arm is 2mm longer than the TK13 and ribs have been added for more strength. Delivers both improved surface tracing and cornering.

CLUTCH BELL

Lightweight clutch bell

SHOCK CASES

Big bore shocks with diam.1.5x5 hole pistons that power the chassis over surface gaps.

WING

Newly designed rear wing features 2 additional stability over fins for greater stability over jumps and removable gurney flap for increasing rear grip.

WHEEL

Tapered design of TK14 dish wheels realizes increased strength compared to the pre-existing flat-type dish wheels.

NEW BODY

Includes newly designed body that perfectly balances all factors for front end turning, cornering and traction performance.

Inferno MP9

'TK14 SPEC A

KIT GP

INFERNO MP9 TK14 SPEC A

#33007

Assembled by specialized staff and individually checked by Yuichi Kanai. Critical components such as R/C setup and engine are semi-assembled so detailed checks can be conducted.

JK Design & Technology by
Yuichi Kanai



1:8 SCALE ELECTRIC POWERED 4WD RACING BUGGY

Inferno MP9e TK14

KIT EP

INFERNO MP9e TK14

#30898B



4WD • Length: 490mm • Width: 307mm • Height: 180mm • Wheelbase: 325mm (Wheelbase can be adjusted by changing the rear hub collars.) • Tread: (F/R) 254mm • Tire: (F/R) sold separately • Gear Ratio: 12.7:1 • Weight 3370g approx.



New wing stay shape minimizes deformation or damage of the wing. Rear traction settings can be changed by adjusted the position of the wing: forward/backward, height and angle.



Newly designed shock stay and upper sus holder raises the front upper rod height by 2mm for optimal camber during chassis roll.



Improved surface tracing and cornering are realized through 2mm longer front suspension arms with extra ribs for reinforcement.



STRR Evo2

1:8 SCALE .21 ENGINE POWERED 4WD STADIUM TRUCK

KIT GP

INFERNO ST-RR EVO2

#33004

4WD • Length: 575mm • Width: 428mm • Wheelbase: 373-378mm • Tread: (F/R) 353mm / 353mm • Gear Ratio: 16.54:1 • Weight: 3,750g (approx.) • Engine P shaft spec 21-28 class (sold separately)



Large capacity big bore shocks with dial adjustment delivers even greater precision to settings and more damping effectiveness than the RR.



Uses the same 1/8 Buggy Champion MP9, as the World Inferno

SEA & SKY



CREATE YOUR OWN PATH.
KYOSHO
FUN
WITH THE SQUAD!

© Copyright 2017 KYOSHO CORPORATION



DRONE RACER



DBC
Drone Backward Control


K-DCMS
Kyosho Drone Control Mixing System

LHFC
Low Height Flying Control

Altitude is automatically maintained with ultrasonic and barometric pressure sensors. Altitude setting of 35cm or 60cm can be selected with a switch on the R/C system and one-touch control is used for takeoff, hovering and landing. Some people may feel frustrated in learning drone flying techniques. Kyosho's newly developed technology (patent pending) removes these barriers so anyone can enjoy the fun of flying drones. *according to Kyosho research

VPUS
Variable Propeller Unit Structure

H-type chassis with split upper and lower sections and left-right propellers connected on one propeller arm allow the propeller unit angle to be changed between: 0°, 10°, 20°. Use more stability (0°/ max speed : 30km/h) or more speed (20°/ max speed : 34.5km/h) as a racing weapon.



SAFETY
DRONE
PRODUCED BY KYOSHO

The DRONE RACER is not designed for high altitude performance, but for people to enjoy flying safely within their field of vision near the ground. A total safety system includes: removable propeller guards; "PROPELLER AUTO STOP SYSTEM" that activates in case you lose control of the throttle; "ANGLE EMERGENCY AUTO STOP SYSTEM" if the drone becomes inverted, and "RADIO CUT EMERGENCY AUTO STOP SYSTEM" in case the radio signal is lost. Weighing only 130g, the DRONE RACER is not subject to the European aviation law so you can fly freely anywhere you like (except in restricted areas).

Synco
TRANSMITTER KT-231P +

Unlike existing drones that are difficult to control, the sensational DRONE RACER is controlled like an R/C car with a pistol-grip transmitter. Takeoff and auto-hover with one-touch control using ultrasonic sensors that remove the frustration of learning complicated flying techniques.



GRASS

GROUND

WATER

MUD

COURSE IS OPEN
SNOW

27



bPod

BPOD BLUE
#20573BL

DRONE RACER

NEW

G-ZERO (Pastel Rainbow)
G-ZERO PASTEL RAINBOW
#20571PR



ZEPHYR FORCE
YELLOW
#20571Y

ZEPHYR



ZEPHYR FORCE
BLACK
#20572BK



G-ZERO
DYNAMIC
RED
#20571R

G-ZERO



G-ZERO
DYNAMIC
WHITE
#20571W



SYNCHRO
KT-231P

USB
CHARGER


BATTERY
3.7V-1000mAh Li-Po

USB
CABLE

DRONE RACER
BPOD

ARM HOLDER
Arm holder 10°, 20°

PROPELLER
SPARE x4



DRONE RACER
SETTING MANAGER

DRONE RACER can connect to your (Windows) computer with the included USB cable to adjust flight settings. In addition, an optional cable can also be used to connect to an Android terminal with a USB host function to adjust settings. Download the free (DRONE RACER SETTING MANAGER) to adjust to your favorite setting and turn up the volume of fun.

ANDROID APP ON Google play Windows or Android

Calmato d

COMPATIBILITY WITH BOTH GP AND EP AIRPLANE



CONVERTIBLE BETWEEN EP & GP VERSIONS



Calmato d Sports

ARF Compatible with Models 2cr.40

CALMATO ALPHA 40 TRAINER - (EP/GP)

BLUE #11232BLB - RED #11232RB

Length: 1300mm • Width: 1600mm • Weight: (EP) 2650g (GP) 2550g • Motor(EP): 600-1000W class backplate mounted outrunner brushless (sold separately) • Engine (GP): 2-cycle 40-46 class (sold separately) • Battery (EP): 14.8V 4000-5000mAh Li-Po (sold separately) • Wing Area: 44dm² • Wing Load: 57.9-62.0g/dm² • Wing Type: Original semi-symmetrical • Propeller: D11xP7-D12xP8 (sold separately)



Calmato d Sports

ARF Compatible with Models 2cr.40

CALMATO ALPHA 40 SPORTS - (EP/GP)

BLUE #11237BLB - RED #11237RB

Length: 1300mm • Width: 1600mm • Weight: (EP) 2650g (GP) 2550g • Motor(EP): 600-1000W class backplate mounted outrunner brushless (sold separately) • Engine (GP): 2-cycle 40-46 class (sold separately) • Battery (EP): 14.8V 4000-5000mAh Li-Po (sold separately) • Wing Area: 44dm² • Wing Load: 57.9-62.0g/dm² • Wing Type: Original semi-symmetrical • Propeller: D11xP7-D12xP8 (sold separately)



Calmato d 60 Sports

ARF Compatible with Models 2cr.60

CALMATO ALPHA 60 SPORTS - (EP/GP)

BLUE #11238BLB - RED #11238RB

Length: 1600mm • Width: 1800mm • Weight: (EP) 3900g (GP) 3700g • Motor(EP): 800-1200W class backplate mounted outrunner brushless (sold separately) • Engine (GP): 2-cycle 60-65 class (sold separately) • Battery (EP): 14.8V 5000mAh Li-Po (sold separately) • Wing Area: 60.6dm² • Wing Load: 61.0-64.3g/dm² • Wing Type: Original semi-symmetrical • Propeller: D12xP6-D14xP8 (sold separately)

SPITFIRE ARF

SPITFIRE Mk.V GP SQS 50 ARF

#11872

Length: 1230mm • Width: 1400mm • Weight: 3200g • Engine: 2 cycle 46-55 (sold separately), 4 cycle 56-62 (sold separately) • Wing Area: 32.4dm² • Wing Type: Original semi-symmetrical • RC System: 6ch, 8 servo (sold separately)



HAWKER ARF

HAWKER HURRICANE SQS 50 ARF

#11871

Length: 1245mm • Width: 1520mm • Weight: 3150g (when installing 4cy56) • Engine: 2 cycle 46-55, 4 cycle 56-62 (sold separately) • Wing Area: 38.9dm² • Wing Load: 81g/dm² • Wing Type: Clark YH/19% • RC System: 6ch 8 servo (sold separately) • Propeller: D11xP6-D13xP7 (sold separately) • Fuel: 290cc

FOCKE WULF ARF

FOCKE WULF FW190A SQS 50 ARF

#11873

Length: 1130mm • Width: 1400mm • Weight: 3200g (approx.) with 4st 56 engine installed • Engine 2cycle 46-55 - 4cycle 56-62 (sold separately) • Wing Area 32.8dm² • Wing Load: 97.6g/dm² (approx.) • Wing Type: Original semi-symmetrical • R/C System 6ch, 8 servos (sold separately) • Propeller: D11xP6 - D13xP7(sold separately) • Fuel Tank: 290cc



ZERO FIGHTER ARF

ZERO FIGHTER SQS 50 ARF

#11874

Length: 1197mm • Width: 1400mm • Weight: 3100g approx. with 4st 56 engine installed • Engine: 4 Cycle 56-62 or 2 Cycle 46-55 (sold separately) • Wing Area: 36.8dm² • Wing Load: 84.2g/dm² approx. • Wing Type: Original semi-symmetrical • R/C System: 6ch 8 servo (sold separately) • Propeller: D11xP6 - D13xP7 (sold separately) • Fuel Tank: 290cc

MACCHI

ARF Compatible with Models 2cy.46

MACCHI M39 EP/GP50 ARF SQS

#11082

Length: 1300mm • Width: 1600mm • Weight: 3500g (EP) • 3300g (GP) • Motor: 800 - 1000W class brushless motor (sold separately) • Engine: 2-cycle 56-70 / 2-cycle 46-55 (sold separately) • Battery: 7.2V-5000mAh Li-Po (sold separately) • Wing Area: 42.2dm² • Wing Load: 78.2-82.9g/dm² • Wing Type: Original semi-symmetrical • R/C System: 4-channel, 4-servo, 1 ESC (EP), 4-channel 5-servo (GP) (sold separately) • Propeller: D13 x P6 - D14 x P8 (sold separately)



RC SURFER 3

...lost
SURFBOARDS



WATCH OUT!!



Factory assembled Readysset only requires 4 x AA batteries for the transmitter. Simply install the surfer figure onto the board to enjoy.

readysset **SUPERCOR KT-231P 2.4GHz**

EP RC SURFER 3 READYSSET
#40108B

Length: 660mm • Width: 160mm • Height: 325mm • Weight: 1500g approx. • Motor: 540-class G24 motor with water-cooling jacket • Screw: D31 x P1.4 (polycarbonate) • Charging Time: 8 hours approx. • Operation time: 7 min approx.

JET STREAM 888 VE



ORION

Brushless outrunner motor and waterproof 80A ESC are pre-installed. Optional ORION set box can be used to adjust each setting.

readysset **C-1 SCALE SUPERCOR KT-231P 2.4GHz**

Length: 900mm • Width: 187mm • Height: 140mm • Weight: 1780g (when 14.8V-4000mAh installed) • Motor: Brushless outrunner water-cooled Aqua Speed Pro BLS3744 • Battery: 3-4 cell 11.1V-14.8V-3600-4000mAh LiPO (Super Plug specification, sold separately) • Propeller: Carbon reinforced nylon D40 x P1.4 (3-blade) • ESC: Team Orion water-cooled 80A waterproof ESC • Servo: KS-4031-06W

EP JET STREAM 888VE
#40232S



SEAWIND Carbon Edition



readysail KT-431S 2.4GHz
SEAWIND CARBON
#40463RS

SEAWIND

RACING YACHT

readysail KT-431S 2.4GHz

SEAWIND
#40462RS

Length: 998mm • Width: 226mm • Height: 1,850mm • Weight: 3100g • R/C System: Syncro KT-431S, 2.4GHz, FHSS • Sail Area: 39dm² • Servo: Sail KS501SW (waterproof, 18Kg torque) • Rudder KS202W (waterproof)



FORTUNE 612

readysail KT-431S 2.4GHz

FORTUNE 612 III
#40042S

Length: 612mm • Width: 130mm • Height: 1135mm • Weight: 1050g approx. • Sail Area: 21.85dm²

Pre-painted and assembled hull produces a high quality finish. Ready to start sailing almost straight out of the box. Printed PE (polythene) material creates a vivid and high durability sail. Lead-free ballast is environmentally friendly. Mast, keel and rudder can be removed without any tools for easy, compact transportation. Bulb keel generates less resistance and realizes optimal control feel.



2.4GHz
KT-431S

A 2.4GHz R/C system provides interference-free control of the pre-assembled and pre-painted hull so you can start sailing almost as soon as you take it out of the box.

Wide Range of Team Orion Batteries & Chargers



Carbon Pro V-Max 110C

«Outlaw» HV Racing LiPo

- Developed by Oscar Jansen and our racing team
- 3.8V nominal voltage (up to 4.35V/cell voltage)
- Extreme power output
- Enhanced Energy Density
- 110C discharge rate
- 5C charge rate
- Heavy duty gold tubes or Deans high current connectors
- High quality silicone wires
- Robust carbon look hard case



Led Voltage Control Batteries

Soft case LiPo Batteries

- Innovative LED Charge Status Control System
- Up to 50C discharge Rate
- Up to 5C charge Rate
- Wide range of capacities and connectors
- Latest Lithium Polymer technology
- Improved Cycle Life and Cell stability
- Wide range from 2S to 6S
- From 800mAh to 5300mAh



Supercharge Packs

NiMH Tuning Batteries for 1/16 Scale Vehicles

- Batteries for micro cars
- High voltage cells
- Latest NiMH technology
- Trx@ connector



Carbon Pro 100C Racing LiPo Batteries

- World Championship winning LiPo chemistry
- Extreme power output
- Enhanced Energy Density
- Extremely low internal resistance
- 100C discharge rate
- 5C charge rate
- Heavy duty gold tubes or Deans high current connectors
- High quality silicone wires
- Robust carbon look hard case
- JST-XH balance connector
- Meets ROAR, EFRA, BRCA, IFMAR specs



V-Max Rocket Packs

LiPo HV Stick Batteries

- High-performance LiPo battery for RC cars
- LiPo HV Technology for more power and run-time
- LED status control system
- Available with Tamiya and Deans type connectors
- Robust plastic case protects cells from impact damage
- JST-XH balancing connector



Racing Drone LiPo Batteries

High power Drone Batteries

- Specifically designed for racing drones
- Ideal weight/performance ratio
- Latest Lithium Polymer technology
- High power LiPo cells
- Up to 75C discharge Rate
- Up to 5C charge Rate
- Innovative LED Charge Status Control System
- XT60 high current connector



Marathon RX LiPo

7.4V LiPo Receiver Packs

- High performance LiPo technology
- Regular size Standard and Hump configurations
- Uni plug
- High grade silicone wire
- JST-XH balancing connector
- Available in Hump and Standard type



Carbon Pro ULTRA 110C

«ULTRA» Racing LiPo Batteries

- Developed by Oscar Jansen and our racing team
- Extreme power output
- Enhanced Energy Density
- Extremely low internal resistance
- 110C discharge rate
- 5C charge rate
- Heavy duty gold tubes
- High quality silicone wires
- Robust carbon look hard case
- Meets ROAR, EFRA, BRCA, IFMAR specs



Peak Power Plant

LiPo Batteries

- 45C Discharge Rate
- Latest LiPo Technology
- Longer run-times than equivalent NiMH batteries
- Robust plastic case protects cells from impact damage
- For any type of model
- Available in 2S, 3S, 4S - 4000 & 5000 mAh



Rocket Sport 2 NiMH

NiMH Tuning Batteries with High Capacity and Voltage

- Latest NiMH technology
- With Tamiya®, Deans®, TRX® or UNI-connector
- High quality silicone wire
- Proven Team Orion quality
- For cars, boats and planes



Marathon RX NiMH

NiMH Receiver Packs

- High capacity
- Stable discharge characteristics
- Ready-to-use with pre-assembled connectors
- High reliability
- Low weight
- High cycle life
- Available in Hump and Standard type



750 SHO
Extreme Racing
V-Max AAA
#ORI13206



900 HV NiMH
AAA
#ORI13202



1100 HV NiMH
AAA
#ORI13201



2700 HV AA
#ORI13502



EZ CHARGER PRO-AM DIGITAL
CARBON LOOK
#ORI30402



#ORI30296

Advantage Touch Duo V-Max
AC/DC Dual Output Touch Charger

- New LiPo HV Charge Mode
- Touch Screen Dual Channel Multi-Chemistry Charger
- Large size 4" Color Touch Screen
- Integrated AC/DC Power Supply
- 200W (100W/channel) charge power, 2x10A max
- Charges 1-6S LiPo/LiPo HV/LiFe, 1-16 cell NiMH/NiCd and 1-20 cell Pb batteries
- Charge, discharge, cycle, storage and balance functions
- Multi language easy to use interface
- Split View Data Display
- Wide array of adjustable parameters
- 2x 6 memory slots for charge settings
- Input/output reverse polarity and short circuit protection



#ORI30221

Advantage One 406
AC/DC Fast Charger with LCD Display

- Compact mid-range AC/DC charger
- Microprocessor controlled advanced digital circuit
- 10 memory slots for charge settings
- Charges 2-4S LiPo/LiFe and 1-8 cell NiMH/NiCd batteries
- Automatic Delta-Peak cut-off
- Up to 6A of charge current
- 12-15VDC / 100-240VAC input
- Easy handling thanks to back-lit LCD Display and 4 buttons
- Integrated Balancer
- Integrated power supply
- Input/output reverse polarity protection



#ORI30241

Advantage ONE Duo
AC/DC Dual Output Charger

- Compact mid-range AC/DC dual channel charger
- Microprocessor controlled advanced digital circuit
- 2x 10 memory slots for charge settings
- Charges 2-4S LiPo/LiFe and 1-8 cell NiMH/NiCd batteries
- Automatic Delta-Peak cut-off
- Up to 6A of charge current per channel
- 12-15VDC / 100-240VAC input
- Easy handling thanks to back-lit LCD Display and 4 buttons
- Integrated Balancer
- Integrated 100W power supply
- Input/output reverse polarity protection



#ORI30197

Advantage IQ801
NiMH Charger

- Compact charger for NiMH batteries
- For batteries with 4-8 cells
- 1A charge current
- Tamiya plug
- Also available as a set with a NiMH 7.2V Rocket Pack 2 1800mAh



#ORI30256

Advantage Touch V2
55W AC/DC Touch Screen Charger

- 55W charging power (6A max)
- Settings memory function
- Charges 1-6S LiPo/LiFe/LiIon, 1-16 cell NiMH/NiCd and 1-20 cell Pb batteries
- Charge setup assistant
- Multi-lingual interface - 6 languages pre-installed!
- Graphic charge/discharge display
- Graphic balancing display
- 4-in-1 Balancing Board
- Dual Input 11-18VDC / 100-240VAC



#ORI30227

Advantage One 405
AC/DC Fast Charger

- Compact mid-range AC/DC channel charger
- Microprocessor controlled advanced digital circuit
- Charges 2-4S LiPo/LiFe and 1-8 cell NiMH/NiCd batteries
- Automatic Delta-Peak cut-off
- Up to 4A of charge current
- 12-15VDC / 100-240VAC input
- Easy handling thanks to 4 LEDs and 4 buttons
- Integrated Balancer



STAINLESS POLY-CARBONATE BODY SCISSORS - CURVED
#36262



STARTER-BOX II KYOSHO
#36209R RED LIMITED
#36209 BLACK



MAINTENANCE STAND LOW
#36228R RED
#362287BK BLACK



GLOW HEATER KYOSHO (ORION 2200)
#362165



KYOSHO 500CC FUEL BOTTLE
#96423 STANDARD
#96424 SPECIAL



KRF TOOL 3.0-3.5MM. / 4.0-5.5MM. SPANNERS
#36135



KYOSHO GLOW PLUG
#74492 No3
#74491 No4
#74494 No5
#74495 No6
#74493 No7



KYOSHO BLACK PIT BOX
#80461 420x240x330



KYOSHO DELUXE BLACK PIT BOX
#80460 542x300x397



KYOSHO CARRYING BAG 320x560x220mm
#87619 RED
#87618 BLACK



KYOSHO PARTS BOX
#80463 L-410x264x43
#80464 M-232x122x32
#80465 S-120x83x25
#80466 SS-89x36x26



KYOSHO TOOL BOX
#80462 330x230x65



KYOSHO CARRYING BAG S/M/L-SIZE
#87613 250x410x360
#87614 310x510x460
#87615 358x558x548



KYOSHO BIG K 2.0 PIT MAT - (61x122cm)
#80823BK BLACK
#80823R RED



DECAL SHEET KYOSHO TEAM DRIVER
#36275



BEANY HAT KYOSHO
#30002B BLACK
#30002R RED



KYOSHO 3D CAP
#30001BL L/XL-BLACK
#30001BS S/M-BLACK
#30001RL L/XL-RED
#30001RS S/M-RED



HOODIE K-FADE 2.0 RED KYOSHO 2016
(SIZE - S/M/L/XL/XXL)
#88004



KYOSHO WINDBREAKER 2.0 BLACK 2016
(SIZE - S/M/L/XL/XXL)
#88005



KYOSHO HEAVY JACKET 2.0 2016 BLACK
(SIZE - S/M/L/XL/XXL)
#88006



T-SHIRT K-FADE 2.0 KYOSHO
(SIZE - S/M/L/XL/XXL)
#88002 RED
#88003 BLACK



BATTERY SAFE BAG
#ORI43023 23x30
#ORI43022 18x21



STORAGE CLEAR BOX (3)
#ORI43020 AAA SIZE
#ORI43021 AA SIZE



LIPO BATTERY PROTECTION BOX
#ORI43040-10x31x17.5
#ORI43041-15.5x32x19
#ORI43042-18.5x34x23



BATTERY SAFE BAG
#ORI43033 20x9x7

KYOSHO
THE FINEST RADIO CONTROL MODELS

WORLD CHAMPION BRAND

KYOSHO®

THE FINEST RADIO CONTROL MODELS



Head Office KYOSHO Europe
7 Allée des Frères Montgolfier, F-77183,
Croissy Beaubourg, France - kyosho-europe.com
For Switzerland: Neidhart SA
Pré-Fleuri 31, 1228 Plan-les-Ouates
Switzerland - neidhart.com



Head Office JAPAN - KYOSHO Corporation
1-9-3 Hirakawa-cho, Chiyoda-ku, Tokyo 102-0093
Atsugi Operation Center - 153 Funako, Atsugi,
Kanagawa.243-0034

Your local dealer

STREET CAR UNION
www.streetcar-union.com



[facebook.com/
kyosho-europe](https://www.facebook.com/kyosho-europe)



Non-contractual photos. Kyosho Europe is not responsible for errors in text or photography. Exclusive sale to retailers. This content is not an offer to create a contact. Dealer list is available on www.kyosho-europe.com - Printed in Italy - ©2017 - Kyosho Europe

www.kyosho-europe.com