



"Just imagine… We did it!"

Federation Insurance

Allah Mottat

apple computer

100.00

NOOIS CLITCHED

1.1

CROP/ITAR

SACHS

GLEIDHE SKOOKS

GOODEVEAN

CONTENTS

PROFESSIONAL LAP COUNTERS	05
DS SOFTWARE	23
SPEED CAR CONTROL 1:1	29
CHECKING TOOLS	33
CONTROLLERS AND CONNECTION PLUGS	41
POWER SUPPLY	51
TRACK SENSORS	57
TRACK CONTROL BOXES	63
ACCESORIES	71
CONNECTION DIAGRAMS	79
ONLINE LIVE RACE	89

PROFESSIONAL LAP COUNTERS ...for all kind of Slot Racing tracks





"Just imagine... We did it!"

FOR

HIGH QUALITY UNIVERSAL SYSTEM

-0100

PORSCHE

The best range of lap counters and software for Slot Racing races!





- High quality and universal use.
- To use in all kind of Slot Racing tracks.
- Control from 2 to 32 track lanes.
- Free "Winslot" software version.
- Direct connection to PC.
- 13 different competition categories.
- 4 digits per lane.
- Permanent memory function.
- Infrared sensors.
- Connection to Stop & Go box for power supply control.
- Driver control linked to DS-Card Control System.

Ref. DS-5001 Leternal DS power units DS-50001 PRO Irack connetion Infrared sensor ALL IN ONE LAP COUNTING SYSTEM FOR 2 LANES Leternal DS power units Irack connetion Infrared sensor Leternal DS power units Irack connetion Infrared sensor Irack connetion Irack connetion Infrared sensor Irack connetion Irack connetion Infrared sensor Irack connetion Irack conne

DS-0051

TO POWER UNIT

Complete new all-in-one computer for home and professional use, easy to install and fix a computer system in your 2 lane track system.

- USB wiring for PC connection and software use.
- Direct controller plug in with professional 4 mm. sockets.
- Includes Ds-0051 power unit and DS-0106 infrared sensor usefull for all existing plastic track systems.
- Allows additional individual track power supply for each lane.
- Compatible with Ds card control system (DS-0062).

FREE DEMO Software For PC Available



Controller Plugin

To INFRARED SENSOR Universal for all track systems included

TECHNICAL DATA

• 13 different race programmes: Endurance, Rally-Slot, GT, Training, F-1, Dragsters, etc... with the different control and track systems combination.

• 4 digits per lane. Quick and easy reading of timing/laps, with only one push.

• **PERMANENT programming.** The device memorises the programming until next change (although it may be disconnected)

• It is the **only lap counter** designed for **DRAGSTER** races, together with "**Dragster Box Set**" light tree

- Specific programming for RALLY-SLOT races:
- Maximum time for a section.
- Shows laps/timing in seconds during the race.

- Once the section has finished, the lap counter shows time recorded in seconds, to thousands of seconds.

- Partial lap timing.
- Beep signal last lap.
- Race number programming.
- Ready to work with intelligent chip card "DS Card Control" (ref.DS-0062).
- Time programming: Maximum 10 hours. Minimum 10 seconds.

• Lap programming: Maximum 9999 laps. Minimum 1 lap.

• Minimal time programming between lap and lap in order to avoid recording more laps due to another car or object. Thus, we can programme a minimal time per lap with a close record to the average time per lap. You will be able to make motor tests with the cable V-shaped (ref.DS-0018), recording the top speed, partial timing from track section.

• Infrared bridge for 2 lane track (valid for all kind of tracks).

• Controller 4 mm. banana socket plugin.

• Programming the desired car control system: TOTAL or INDEPENDENT lanes, for any kind of race.

• Programming the start with power on the track (for instance, keeping an eye on the lights and penalising one lap the car passing under the bridge before the lights are red) or without power on the track (for instance: the traditional system where models start at the same time.

• Track power control: End of the race. Included in the unit preinstalled allow start 2 stop the cars at the end and start of the race programation.

• PAUSE option. We can stop the race and the time record, so we can continue the race from the same point.

• USB exit to PC connection. The cable is not supplied with the lap counter.

• Lap counter supplied with free WINSLOT demo software. The minimum required hardware/software is: Pentium III, with OS Windows 98 / XP, 64 MB RAM, 20 free MB in Hard Disc and USB connection.

• Display of:

- Lap timing of every lane when the car is crossing the sensor.

- Time spend or time left for the finishing the race, during or at the end of the race.

- 3 fastest laps time record of each lane during or at the end of the race.

- Partial timing of each lap for Rally-Slot.
- Total time record at the end of the programmed laps for each lane, at the end of the race.

- Timing data displayed in: thousands and tenth thousands of a second.

- Blinking of the winner lane.
- Blinking of the best lap time record of the race.

• **Red/green lights** for visual control of the race start.

- Acoustic signals for: programming, start, last lap, end of race, pause and fastest lap.
- Connection to our card readers "DS Card Control" (ref. DS-0062), with a card like the ones used at the telephones, for the control of races, drivers, track renting, etc...
- Allow external power supply connection for each lane.
- LED track status indicators.

PROGRAMMING CHART

Programme	Time	Control	Track	Control							
			Individual Total								
P. ti (Time programme) 🖌	v		v							
P. La (Laps programm	e) 🖌	v	~	v							
P. F1 (Formula 1)	 ✓ 	v	~	v							
P. dr (Dragsters)											
P. t (Minimum time pe	- lane pro	gramm	ing)								
P. t (Minimum time per lane programming) P. r (Rally-Slot) P. r (Rally lap rogramming) P. to (Programming the maximum time of section) P. do (Programming the race number)											

Ref. DS-2000

DS-200 PRO

HIGH QUALITY AND UNIVERSAL SYSTEM !

Complete lap counter for one or two lane tracks, specially for RALLY-SLOT, ENDURANCE, GT, FORMULA 1 and DRAGSTER RACES with the start light tree "Dragster Box Set" (ref. DS-0060).
Easy connection to "DS Card Control System" (ref. DS-0062).

INFO

For the correct working of this lap counter you need a power supply of 12 V. maximum and at least 1 A. D/C. We recommend the DS Power Supply - reference DS-0051.

Trade sensor is need to operate. Choose from DS wide range of sensors for many track systems.

FREE DEMO Software For PC Available COMPATIBLE WITH DS WIRELESS SYSTEM (Ref, DS-0112)



TECHNICAL DATA

• 13 different race programmes: Endurance, Rally-Slot, GT, Training, F-1, Dragsters, etc... with the different control and track systems combination.

• 4 digits per lane. Quick and easy reading of timing/laps, with only one push.

• **PERMANENT programming.** The device memorises the programming until next change (although it may be disconnected)

• It is the **only lap counter** designed for **DRAGSTER** races, together with "**Dragster Box Set**" light tree starting signal.

• Specific programming for RALLY-SLOT races:

- Maximum time for a section.

- Shows laps/timing in seconds during the race.

- Once the section has finished, the lap counter shows time recorded in seconds, to thousands of seconds.

- Partial lap timing.
- Beep signal last lap.
- Race number programming.

- Ready to work with intelligent chip card "DS Card Control" (ref.DS-0062).

• Time programming: Maximum 10 hours. Minimum 10 seconds.

• Lap programming: Maximum 9999 laps. Minimum 1 lap.

• Minimal time programming between lap and lap in order to avoid recording more laps due to another car or object. Thus, we can programme a minimal time per lap with a close record to the average time per lap. You will be able to make motor tests with the cable V-shaped (ref.DS-0018), recording the top speed, partial timing from track section.

• Programming the desired car control system: TOTAL or INDEPENDENT lanes, for any kind of race.

• Programming the start with power on the track (for instance, keeping an eye on the lights and penalising one lap the car passing under the bridge before the lights are red) or without power on the track (for instance: the traditional system where models start at the same time, due to the control of the "Stop & Go Box" (ref. DS-0021) or "PRO Stop & Go Box" (ref. DS-0061).

• Track power control: Cars always stop at the end of the race, due to the power cut form the "Stop & Go Box" (ref. DS-0021) or "PRO Stop & Go Box" (ref. DS-0061), if installed.

• PAUSE option. We can stop the race and the time record, so we can continue the race from the same point.

• RS-232C exit to PC connection. The cable is not supplied with the lap counter; we recommend the cable manufactured by DS, with reference DS-0052.

• Lap counter supplied with free WINSLOT demo software. The minimum required

hardware/software is: Pentium III, with 0S Windows 98 / XP, 64 MB RAM, 20 free MB in Hard Disc and COM RS-232C.

• Display of:

- Lap timing of every lane when the car is crossing the sensor.

- Time spend or time left for the finishing the race, during or at the end of the race.

- 3 fastest laps time record of each lane during or at the end of the race.

- Partial timing of each lap for Rally-Slot.

- Total time record at the end of the programmed laps for each lane, at the end of the race.

- Timing data displayed in: thousands and tenth thousands of a second.

- Blinking of the winner lane.
- Blinking of the best lap time record of the race.

• **Red/green lights** for visual control of the race start.

• Acoustic signals for: programming, start, last lap, end of race, pause and fastest lap.

• Connection to our card readers "DS Card Control" (ref. DS-0062), with a card like the ones used at the telephones, for the control of races, drivers, track renting, etc...

PROGRAMMING CHART

Programme	Time (Control	Track Control				
	ON		Individua				
P. ti (Time programme)	 ✓ 	v		v			
P. La (Laps programme)	 ✓ 	v	 ✓ 	v			
P. F1 (Formula 1)	 ✓ 	v	v	v			
P. dr (Dragsters)							
P. t (Minimum time per l	ane pro	gramm	ing)				
P. to (Pro	ogrammin	gramming g the maxi		of section)			

Ref. DS-3000

DS-300 PRO

Works with any kind of SLOT track on the market !

• Modular lap counter from 2 to 8 lanes, especially for SPEED and ENDURANCE races.

• Lap counter especially suitable for 4 or more track lanes.

• Easy connection to our card control system "DS Card Control" (ref. DS-0062).

INFO

For the correct working of this lap counter you need a power supply of 12 V. maximum and at least 3 A. D/C. We recommend the DS Power Supply - reference DS-0051.

Trade sensor is need to operate. Choose from DS wide range of sensors for many track systems.





Compatible with DS-0075 remote control unit.

DS developed an upgrade kit for previous DS-300 lap counters to update them with this new feature. FREE DEMO Software For PC Available





TECHNICAL DATA



•11 different programmes for races: Endurance, Rally-Slot, GT, Training, F-1, etc... combined with the different track and control systems.

• 4 digits per lane. Quick and easy reading of timing and laps, with one only button.

• **PERMANENT programming**. The device memorises the programming until next change (although it may be disconnected)

• Time programming: Maximum 24 hours. Minimum 10 seconds.

• Lap programming: From 10 seconds to 24 h. From 1 to 9999 tops.

• Minimal time programming between lap and lap in order to avoid recording more laps due to another car or object. Thus, we can programme

a minimal time per lap with a close record to the average time per lap. You will be able to make motor tests with the cable V-shaped (ref.DS-0018), recording the top speed, partial timing of a particular track section.

• **Programming** the desired car control system: TOTAL or INDEPENDENT lanes, for any kind of race.

• Programming the start with power on the track (for instance, keeping an eye on the lights and penalising one lap the car passing under the bridge before the lights are red) or without power on the track (for instance: the traditional system where models start at the same time, due to the control of the "Stop & Go Box" (ref. DS-0021) or "PRO Stop & Go Box" (ref. DS-0061).

• Track power control: Cars always stop at the end of the race, due to the power cut form the "Stop & Go Box" (ref. DS-0021) or "PRO Stop & Go Box" (ref. DS-0061), if installed.

 PAUSE option. We can stop the race and the time recorded, so we can continue the race from the same point.

• Extendable up to 8 lanes

• RS-232C exit for PC connection. The cable is not supplied with the lap counter; we recommend the cable manufactured by DS, with reference DS-0052.

• Lap counter supplied with free demo WINSLOT software. The minimum required

hardware/software is: Pentium III, with OS Windows 98/ XP, 64 MB RAM, 20 free MB of Hard Disc and COM RS-232C.

- Display of:
- Lap timing of every lane when the car is crossing

the sensor.

- Time spend or time left for the finishing of the race, during or at the end of the race.
- 3 fastest lap times recorded for each lane during or at the end of the race.
- Total time recorded at the end of the programmed laps for each lane, at the end of the race.
- Timing data displayed in: thousands and tenth thousands of a second.
- Blinking of the winner lane.
- Blinking of the best lap time record of the race.

• **Red/green lights** for visual control of the race start.

• Acoustic signals for: programming, start, last lap, end of race, pause and fastest lap.

• Connection to our card readers "DS Card Control" (with a card like the ones used at the telephones) for the control of races, drivers, track renting, etc...

PROGRAMMING CHART

Programme	Time (Control	Track	Control
			Individua	
P. ti (Time programme)	~	 Image: A start of the start of		 Image: A start of the start of
P. La (Laps programme)	~	v	~	 Image: A start of the start of
P. F1 (Formula 1)	~	v	~	v
P. t (Minimum time recor	d per la	lae		

DS-300 PR0

Ref. DS-3340 UNIT DS-300 PRO for LANES 3 and 4

Complement for the extension of the lap counter "DS-300 PRO" into 4 lanes. It needs main unit (lanes 1 and 2) for working.

TECHNICAL DATA:

- Connection to main unit "DS-300 PRO" (lanes 1 and 2).
- Connector for lane 3 and 4 sensor.
- Connector for "STOP & GO Box" or "PRO STOP & GO Box".
- Display of data like the main unit (lanes 1 and 2).

Ref. DS-3560 UNIT DS-300 PRO for LANES 5 and 6

Complement for the extension of the lap counter "DS-300 PRO" into 6 lanes. It needs main unit (lanes 1 and 2) and second unit (lanes 3 and 4) to work.

TECHNICAL DATA:

• It has the same technical characteristics as the unit DS-300 PRO for lanes 3 and 4 (ref.DS-3340), but aimed at lanes 5 and 6.

Ref. DS-3780 UNIT DS-300 PRO for LANES 7 and 8

It needs main unit (lanes 1 and 2) and second and third units (lanes 3 and 4 / lanes 5 and 6) to work.

TECHNICAL DATA:

• It has the same technical characteristics as the unit DS-300 PRO for lanes 3 and 4 (ref.DS-3340), but aimed at lanes 7 and 8.



REMOTE CONTROLLER

• Complete remote control for your DS-300 lap counter. Allow all programming and data options by R/F.

• Works with 9V battery (not included).

Ref. DS-0075

DS-REMOTE CONTROL UNIT

All DS-300 lap counting systems will be equipped from 2006 with special antenna to receive all needed signals for remote control function.

Ref. DS-0076 REMOTE CONTROL UPGRADE KIT FOR DS-300

Complete upgrade pieces for your old DS-300 system including the Remote controller unit, new anthena controller and new microchip with updated version.









DS-START PACKS

Ref. DS-9995	LAP COUNTING SYSTEM for 2 lanes with 78 mm. lenght infrared sensor with DS 200.
Ref. DS-9996	LAP COUNTING SYSTEM for 2 lanes with 90 mm. lenght infrared sensor with DS 200.
Ref. DS-9997	LAP COUNTING SYSTEM for 2 lanes with 100 mm. lenght infrared sensor with DS 200.
Ref. DS-9998	LAP COUNTING SYSTEM for 4 lanes with 78 mm. lenght infrared sensor with DS 300.
Ref. DS-9999	LAP COUNTING SYSTEM for 4 lanes with 90 mm. lenght infrared sensor with DS 300.



DS-4 PORT

Ref. DS-0080

DS offer the possibility of multi track connection, with this Professional box that allow connection from up to 4 DS lap counter into 1 sole PC serial port, this special box is needed for over 8 lane racing control in endurance competitions together with winslot software. The maximum number of lanes possible is 32 (4 tracks with 8 lanes each). For it's working is needed a DS-0051 transformer.

Multi lap counter connection:

Connection system DS-4PORT multi-lap counter which allows connecting 4 x DS-300 PRO, getting up to 32 lanes.





Ref. DS-4000

DS-400 PRO

"SUPERTOWER"

Remote control without wiring !

- Large dimension display specially for HIGH COMPETITION tracks or COMMERCIAL use.
- Suitable from 4 to 8 lanes.

INFO

Needs DS-300 lap counting system to work.



	LAR	COUNTER	CHRONO
	(())		(()) (())
			(()) (())
Electronic	Racing	Products	LAPS TO GO - TIMER
LANE F	розгло	V LAPS	TIME - FAST LAP
1	B	8.8.8	8.8.8.8.
2	B	8888	8,8,8,8,9
3	8	8888	88888
4	B	8888	88888
5	8	8888	8888
6	8	8888	88888
7	8	8888	8.8.8.8.8
8	8	8888	8.8.8.8
D5.400)	DIGITAL S	VATEM PRO



TECHNICAL DATA

• For 4, 6 or 8 lanes.

programming.

• Large tower display (85cm high and 48cm wide) for easy viewing of time and data. Easy and quick to read.

• The programming and displaying of data is done by DS-300 or DS-INTERFACE.

• Start Traffic lights: 8 LED for red + 2 LED for green colour, big format, horizontally placed, simulating a Grand Prix start.

• General display (4 digits) for: time spent on the race or time left for finishing the race, left laps, programming, especial data.

• Three displays for each lane: qualifying position, Laps and Timing.

- Qualifying position (1 digit): Shows the driver's position during the race, refreshing immediately every time the car passes the sensor.

Laps (4 digits): Shows the current lap of the cars, or the laps left to finish (when lap programming). When Formula 1 programming it shows the leader's laps and the gap of laps between the other participants and the leader.
Time (5 digits): Shows the time recorded for the last lap and the two best time recorded for the race. The displays of Lane 1 is also used for data

Ref. DS-4000SUPER TOWER DISPLAY - For 4 lanesRef. DS-4001SUPER TOWER DISPLAY - For 6 lanesRef. DS-4002SUPER TOWER DISPLAY - For 8 lanesRef. DS-4003Extension PC-BOARD from 4 to 6 lanesRef. DS-4004Extension PC-BOARD from 6 to 8 lanes





"Just imagine... We did it!"

B-92406

F

Ref. DS-0045

DS-INTERFACE

• Direct total control of the track from your personal computer (Windows 98, 2000 and XP).

• With sensor connection for 1 to 8 lanes, and connection to the control box "STOP & GO Box" (ref. DS-0021) for the control of all the races.

• "Winslot" included, this being a programme that provides all the necessary information for **the control of any race** from your PC, having a complete control of the race and obtaining printed results and data form the race with ease. The special cable for connection between INTERFACE and PC (ref. DS-0052) is included.

• Connections:

- Sensor connections for track lanes 1-2, 3-4, 5-6 and 7-8.
- "PRO STOP & GO Box" control boxes connection for track lanes
 1-2, 3-4, 5-6 and 7-8.
- PC connection through Standard 9 pin COM.



INFO

For the correct working of the INTERFACE you need a power supplier of 12 V. maximum and at least 3 A. of direct current. We recommend the DS build with reference DS-0051.

You should also choose the sensor you want to use for the track: infrared bridge, track section with "dead section"...

FULL VERSION "WINSLOT" included! [For any kind of Slot track] [For 1 to 8 lanes]



DS SOFTWARE



Ref. DS-0044 RALLY-SLOT CONTROL

• This program can work without the need of a DS lap counter, entering the data to the PC with the keyboard. But it is optimised to work automatically with the control system for Rally.

- Available in Spanish (other languages under development) and English.
- DS-Card Control connection for automatic reading
- Programme characteristics:
- The drivers' data base is made with Microsoft Access allowing easy development or export to other programmes by Microsoft.
- Special option to define the last heat drivers.
- To amalgamate the results of drivers from different heats and days.
- Able to control 12 rally sections.
- Able to control classes or Groups in the same Rally.
- Colour identifier for Scratch timing on each rally section.
- New on-line support for updates and operation manuals at www.ds-racingproducts.com
- All results can be printed.

• Detailed information of the race direct live result publishing in internet or local net throught ON LINE WEB SERVER.

Mercel Cote Final 4 CLASS 0.453 48.56 41.07 38.58 25.38 87.12 28.35 59.35 14.38 59.47 45.68 40,25 27,76 20,47 25,68 47,28 40,12 40,25 85,25 47,28 47,28 82,25 40,28 3 ANTONIO 2 I JOAN 2 JOAN POT -114.151 29.26 29.26 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.29 Piloto 4.18 • 🌲 Nº Sección 封 Store TIPMPO TOTAL V Arante

Archivo Inprint/Excel		Caroano	and card	10.00		Contours	oen.	12.1									
CLASHCATORIAS .	ARVES FARE		4		Manual	Code Film		•					3.4	AEVES	TARDE	•	Todes
CLAS 1	CLASE	1	GLAS 3		r	2,804		1100	68.	1	1910.3			000.1			NG4
Net DOALNA PLOTE		68440	1. 6108/	1.101	n. 11	11	10		10	18	11	10.	18	1100	1011	110	PON
Direction L	_		111.24	516,0	. 4,15	46,32	18,79	21,38	87,12	4,8	17,98	3.4	21,49	434		36,38	
2 1 38/88		MRC	844,830	894.00	10 21,38	69,28	1429	81,47	-6,89	42.0	10,26	47,28	47,38	60,26	48.28	12,38	0
1 JANN POR		HAT.	814250	014,01	10 21.16	K.K	18,25	91,08	14,36		16.81	75,60	81.26	40,00	1426	87,1	
4100			810,258	826.25	21.38	45.24	47.69	54.58	48.25	22.6	44.85	52.38	41.16	39.34	18.56	M.17	



INFO

DS software allows the complete managing of clubs and races at a professional or home use. The minimum required hardware/software for DS programmes is: Pentium III. OS Windows 98/ 2000 / XP. 64 MB RAM. 20 free MB in Hard Disc. Installing of Microsoft Office (98 / 2000 / XP). RS-232C comunication port.



DS SOFTWARE

Ref. DS-0046 DS RENT +

• This programme allows the managing of club costumers by means of the DS-Card Control system in the use of tracks. A reader/recorder DS-0063 and a DS-0062 reader units minimum required.

- Available in Spanish, Catalan, English, Deutsh, Française, Portuguese.
- Software details:
- Drivers data files are in Microsoft Access allowing easy development or evolution of the programme and also the export to other MS programmes.
- Complete data file on every costumer.
- Allow reading and charging DS-Card from costumers.
- Allows master card programming for DS-Card readers, which includes:
- Time zones for 4 different kinds of costumers.
- Initial charging.
- Reader device time.
- · General data like currency, reader device language, club name.



^{Codge} 2781	Nontre Direction	MQUEL					Newgadar
aded	Provincia		Coll Postal				
détana	Novi] trei					
edine Web		1 0w 1					
-		J				10	tunktar Salt
F Número C Nombre							
Nonbre	Direction		Citatine	Provincia	Cod Post Telétono	Movil	Child
790 NAFRIA ORICI.							
781 MOLEL							
782 MAGE							
783 8005							-
794 JAVER ESCURSELL				-		-	
795 DIDAC SAN JOSE							-
786 JUSEP SAN JOSE				-			-
787 AURORA AREVALO CAMPOS							-
788 JOSE LUIS NORENO							
799 HORMAS FRANCESC							
790 DEL HORMAS							
791 STTO							
792 LOPEZ JALME							
783 EXPOSITO ANTONIO							
ANTONO EXPOSITO							1
795 MARSAL GUM							
TRA SECLI NUTRAL SEC							
797 GARCIA ROOER				-			
798 DELA CORTE							
799 GESE JULI							
DIRAM COTAM DE				-		_	-
901 MARTI CLAUDI				-			
002 SALADCHEDRAN							





Ref. DS-0048 WINSLOT v 1.9

Winslot is the developed DS software for racing at home, club or even at international events. Tested without problems at national championships and 24h. endurance race. Can be used with all DS lap counter system for free, and register at any time to get updated versions and more features activated.

• Software to be used in any DS lap counters system, in Spanish or English (easy translation to French, German, Italian and Portuguese).

• All the DS-200 PRO and DS-300 PRO include a demo of the programme that can be used for quick races: introducing driver's name and recording race results. In order to have access to the full-version the programme must be registered (for registering get in contact with your distributor)

• DS-INTERFACE include a full registered version of the programme.

• You can register the programme without the need of lap counter serial number, these allows the programme to work in different tracks with lap counters of different models with only one license.

• All data is based in Microsoft Access allowing an easy development or evolution of the programme and also the export of data to other MS programmes.

• Extendable to 32 lanes with the new connection system "DS-4PORT", multilap counter, which allows connecting four DS-300 PRO or INTERFACE to only one computer. If multi-start system is used all lap counters can start simultaneously.



• Programme details:

-Championship control. Each one with different races and ranking points.

-Race option. It controls various races on the same track.

-Track option. It controls more than one track in the same club, with characteristics of each one: lanes, lane distance, with the possibility of racing in all of them.

-Club data. It controls more than one club and allows printing the information. -Allows the control of any race from the DS lap counters, with the exception of Rally-Slot.

-Allows racing individually or as team (with more than one driver).

-Driver profile. To control the drivers and print the information.

-Technical instructions for the Slot car. It allows the control of different cars with different technical characteristics and with the possibility to test on the track.

2 35:58			
1 Los Retirados, . (527)	9 Q+DA, (529)	17 Ases ML (503)	25 Planet Slot Team AVS, .
15.940 400 9 15.729 133	16.113 381 11 15.932 126	16.348 373 22 16.348 124	16.960 361 25 16.628 122
2 Aloyshop, (525)	10 TRP Flaps Murcia, . (62	18 Aloyshop Albaracing,	26 Miscoracing, . (522)
16.040 396 1 15.589 132	19.819 378 3 16.656 132	15.941 373 20	16.521 358 14 16.145 122
3 Cibelito Model Hobby re	11 Team Relentin, . (507)	19 Club Slot Elche Viveslo	27 Murcislot TS Viveslot,
15.965 393 7 15.569 135	16.261 377 13 15.989 126	16.768 371 29 16.377 124	19.973 356 30 16.690 120
4 CricCrac Sport, . (511)	12 Viveslot, . (530)	20 Team torpedo SB slot, .	28 Scorpio Costera Xativa,
18.524 393 6 15.670 131	18.504 377 24 16.263 123	16.611 367 26 16.289 126	16.959 354 28 16.003 122
5 Aloyshop competicion,	13 Team Castro, . (509)	21 Bokeron Team, . (604)	29 Racing Buslot, . (517)
18.293 392 2 15.663 131	17.261 375 15 16.248 126	16.615 367 18 16.615 120	17.269 347 19 16.863 108
6 Playcar Slot, . (523)	14 Aloyshop Stricachova,	22 Mecamodel Illice August	30 Bantuslot nuevo parque
17.210 387 8 15.687 132	18.341 375 10 16.811 129	16.683 366 23 16.475 123	18.489 344 31 18.040 111
7 AGS-AB, (624)	15 IRR-Four Roses for Raci	23 Scorpio Racing Alcoy,	31 Relentin Team, . (508)
16.597 383 27 16.124 126	16.007 375 21 14.969 130	17.126 364 32 15.775 124	17.956 343 16 17.302 114
8 TOP drivers, . (501)	16 Aloyshop El Sot, . (512	24 Cuatrocaminos racing, .	32 SB Slot, . (532)
16.278 383 5 15.852 127	16.118 374 4 16.984 123	16.950 363 17 16.650 121	19.810 342 12 16.690 103

DS SOFTWARE

• Detailed information of the race:

-Complete grid designing, allowing the movement of drivers from one heat to another.

-Qualifying options.

-Rotation option system which allows more drivers than lanes on the track.

-Team or driver that is racing on the track.

-Each team or driver position.

-Last lap time record.

-Amount of laps done.

-Time left for the end of the race.

-Lane changes done always show on screen.

-Printing all the results.

-Precise information each lap by means of statistics or graphics.

-Full new giant screen for training table results showing lap timing, best lap and num of laps for all lanes.

-Full new giant screen for race results showing overall classification from the race in large numbers.

-New race system able to repeat heats, adding laps to the previous results in the same lanes, as many times as wanted. Needed for endurance races where lanes are repeated several times.

-Drivers import from Microsoft Excel file.

-Results export to Microsoft Excel file.

-New on-line support for updates and operation manuals at www.ds-racingproducts.com

General			Wintini 2282 - Ganarr				ani Actual	Exististicas			
Ton Ploto	2	T.vueltas		Piloto / Equipo	Art	Nº Vasiles	Lider	C	NP Yuelas	UtimeV.	V Flapida
	Lozaso Javi (1)	0		Besols (INF). Jord (12)	0	0	Û.		0		
2 Pérez	Dia Costa Antonio (1)	0	2	Borras Bacile, Jordi (4)	0	0	0		0		
	Badie, Joidi (4)	0	3	Anglenil (NF) Ameu (11)	- 0	0	0		0		
4 AbedF	Persina, Christian (18)	0	4	Rubio Cazador Alax (6)	0	0	0	—	0		
5 Rutio	Cazedor,Alex (6)	0	5	Argujo Vie, Enrique (7)	6	8	0		0		
6 Alema	ry Caula (NF) Alex :	6	6	Alcanat Javier (3)	6	8	0	-	8		
	c.Jovier(3)	0	2	Sulé EgeaPager (3)	0	0	0	-	0		
8 Andres	Polmes (NF) Carles	0	8	Senchez Panelo Oscar (17)	0	0	0		0		
9 Sarch	et Parreño, Oscar (17	0	9	Choca Lozano, Javi (5)	0	9	0		0		
10 Certer	ios Color (INF), Albert:	0	10	Perez De Coste, Antonio (1)	0	0	0		0		
11 Andler	II (NF) Ames (11)	0	11	Abad Pereira Christian (18)	0	0	0	L	0		
12 Checa	Lozaro (INF). Cales	0	12	Alemany Carulla (NT) Alex (3)	0	0.	0		0		
13 Sufé B	pea Roger (2)	0	13	Andreu Falmes (INF), Carles (10)	0	0	0		0		
14 Barbei	to Masquera, José Lu	0	14	Centellas Celat (NIF), Albert (13)	0	0	0	—	0		
15 Argains	Via.Emque (7)	0	15	Checa Lozano (INF) Carlos (14)	0	0	0		0		
	as Carol (INF) Caud	0		Berbeito Mosquera, José Luís (8)	0	0	0		0		
17 Basoli	(INP) Jordi (12)	0	17	Febraces Cerci (NF), Claudia (16)	0	0	0	-	0		
	pas Carol (INF) Carles	0		Febrages Carol (NF). Cerles (15)	0	0	0		0		

Training 🔤									
1 6 10.305 13.496 04.69A 04.69A 04.69A 04.69A 04.09A 1 020 2 11.425 3 10.933 4 10.935 5 13.496	2 0,10,357 11,683 0,4954 66LMONTE, TONY 1,000 2,11,827 5,11,528 6,11,623 6,11,623	3 4 12.120 13.835 ABAD PEFERA, O-RESTAN 1 0000 2 12.647 3 12.120 4 13.835	4 12.073 12.073 ANKLEREL, APPALU 1 000 2 12.434 1 2.073 4 12.073	5 10.612 12.819 BAREETO MOSCUBRA.NOSE 1 000 2 12.293 3 12.225 4 10.612 5 12.819	6 10.435 10.435 BORNAT SASTRE, FCO. JAV 1 000 2 12.779 3 13.154 4 13.582 5 10.435	7 5 10712 11.563 80454,0500 1 000 2 11.423 3 13.561 3 13.561 4 10.712 5 11.563	8 6 10.006 11.227 806RAS BACA, .0601 1 000 2 13.700 3 10.599 4 10.066 5 11.020 6 11.227	Time Pos Carli 1 8 2 19 3 30	55 Eerend 10.066 10.076 10.034
9 5 11.403 12.396 CANZORFE CALL JOSE MAN 1 000 2 13.547 1 1.409 4 11.220 5 12.396	10 4 10.324 13.385 CARCELIDIS, JOSE ANTON 1 000 2 10.324 3 11.089 4 13.385	11 5 11.178 12.929 CASTANE BALLESTA, ANTON 1 000 2 11.415 3 12.939 4 11.178 5 12.929	12 5 10.827 11.567 CHECA.LOZANO, CARLOS 1 000 2 10.927 3 13.658 4 13.560 5 11.567	13 5 10 207 13.551 0-ECA LOZANO, JANY 1 000 2 11.804 3 10.207 4 10.292 5 13.551	14 5 10.384 12.867 00768/LANI DUME, AOSE 1 000 2 12.7968 4 10.384 5 12.867	15 5 10.657 11.378 CAVLA SSTEVEZ, ISONADO 1 000 2 11.676 3 10.557 4 12.996 5 11.378	16 5 10.131 13,309 FUERAR, MARC 1 000 2 12.540 3 10.131 4 12.299 5 13.309	4 23 5 16 6 25 7 22 8 13 9 10 10 1 11 2 12 14 13 21 14 6 15 5	10.128 10.131 10.164 10.197 10.207 10.324 10.325 10.384 10.425 10.485 10.495
17 5 11.025 11.962 FORT PERZ, CARLOS 1 000 2 12.797 3 11.025 4 11.362	18 5 11.161 11.181 044.99A, SEBASTIAN 1 000 2 11.875 4 11.257 4 11.257 5 112.949 5 11.181	19 6 100% 12.305 00%E2 EUR005, MOUEL AN 1 000 2 11.513 3 10.276 4 10.076 5 12.305	20 8 10.814 10.814 ALCARAZ, JAVER 1 000 2 13.020 3 11.121 4 11.345 5 12.599 5 10.814	21 5 10.425 13.865 #POLKOVEA, DPOLE 1 000 2 11.397 3 11.991 4 10.425 5 13.865	22 5 10.197 14.007 ARR.11 00NZALEZ.0B 1 000 2 11.772 3 10.196 4 10.197 5 14.007	23 5 10 128 13.125 ASPES MAND, 00LLEPHO 1 000 2 13.233 3 11.142 4 10.128 5 13.125	24 5 12:447 12:447 BROMERLOR 50000 1 000 2 12:801 3 13:388 4 12:578 5 12:447	16 32 17 15 18 7 19 28 20 20 21 12 22 17 23 26 24 11 25 18 27 9	10.621 10.657 10.712 10.720 10.914 10.927 11.025 11.170 11.170 11.181 11.305 11.408
25 4 10.164 13.651 EMPERTO MOSOLIERA, MOSE 1 000 2 10.164 1 12.456 4 13.651	26 5 11.170 11.465 ECMERL (460, 1 000 2 12.571 3 11.811 4 11.170 5 11.465	27 4 12.634 14.091 BORRAS BADLA, JORD 1 000 2 13.306 3 12.534 4 14.091	28 5 10.720 10.720 BLENAVE/TURA VEDA, FRA 1 000 2 12.734 3 12.155 4 11.822 5 10.720	29 6 11.724 13.069 CANZORFE CHAZ, JOSE MAN 1 000 2 13.488 3 11.724 4 12.281 5 13.069	30 5 10.094 13.913 CARCEL TENS, UDE ANTON 1 000 2 10.418 3 12.185 4 10.994 5 13.913	31 5 11.005 12.702 CASTANE BALLESTA, ANTON 1 000 2 11.305 3 13.923 4 11.811 5 12.702	32 5 10.621 10.621 CHECALOZANO, CARLOB 1 D00 2 12.930 3 10.735 4 12.999 5 10.621	28 29 4 30 3 31 27 27	11,724 12,073 12,130 12,447 12,634

56 Ga	rrera														
	E E E E E E E E E E E E E E E E E E E			8	1,3,5,7,0,9	,11,13,15,0	16,14,12,1	0,0,8,6,4,2,0	(17,19,21,2	3,0,25,27,2	9,31,0,32,3	0,2			
\odot	00 24H Stoff	2009 Mer	ge 1		Esper	ando pr	incipio e	le carrer	8						
Pos.	Agreement (Total de vuella)	Canil 1	Carliz	Caril 3	Carl4	Carl 5	Carl6	Carll 7	Caril 8	Canil 9	Canil 10	Caril11	Canil 12	Caril 13	Canil 14
	SCALEAUTO BT. (CAT) (175)	282	279	285	272	241	260	279	263	242	294	276	267	262	248
	Total vueltas: 4330	12.903	12,455	12:990	12,962	13.235	12,724	12.917	13,249	13,152	12.945	12,881	12,972	12:938	13.148
	(02) 12.455														
	TIMBASLOT, (ES) (173)	262	277	299	258	264	267	241	257	230	259	259	249	219	250
+1	Total vueltas: 4025	13:318		13:205	13.342	13.493	13.309	14.073	13.623	13.881	13.572	13.906	13.8E7	13,892	13.7E3
	(02) 13.077														
	MONTROIG RACING, [CAT] (181)	287	253	277	253	279	327	271	224	267	294	295	271	290	272
+6	Total vueltas: 4389	12.670	12,552	13.827	13.11E	12:570	13.141	12,721	13.442	13.267	12.884	12.931	13.261	13.099	13.068
	(02) 12.592														
	THUNDER ROAD, [CAT] [187]	287	316	279	269	290	260	277	263	296	275	243	268	233	277
		12:675	12.873	12:847	13.364	13.565	13.175	13.349	13.688	13,733	13.216	13.343	13.362	13.038	13016
-60	(01) 12.675														
	ISOCO INNOVATION, [CAT] (182)	203	231	265	220	274	265	270	251	295	261	290	258	271	275
	Total vueltas: 4211	13:301	13,290	13.216	13.682	13.259	12.843	13.090	11769	14.006	13.050	13.000	13.424	13:127	13.240
	(06) 12.843														
	NUCLEO ARDENTE TEAM, (IT)	258	263	269	276	296	270	296	246	261	269	249	273	296	275
	Total vueltas: 4202	13.649	13.447	13.424	13.116	13.473	13.538	13.370	14.257	13,700	13.322	13.629	13509	13.732	13,205
	(04) 13.116														
	SISCUSLOT, (CAT) (194)	240	258	263	265	254	257	267	262	261	260	274	268	269	268
+1	Total vueltas: 4188	13:524	13.186	13.320	13,361	13.581	13.476	13.544	13.746	13.872	13.470	13.291	13.567	13.444	13553
	(02) 13.186														
	PUNT SLOT, [CAT] (186)	279	2277	284	250	235	273	287	274	296	275	283	290	276	266
+1	Total vueltas: 4432	12:944	12,730	12:939	12,794	13.092	13.158	12.997	13.476	13.630	12,969	13.074	13.046	13:073	12,978
	(02) 12.730														
	CRICCRAC SPORT, [CAT] [153]	295	250	303	294	277	267	283	281	279	256	292	252	293	291
	Total vueltas: 4627	12.454	12,721	12.461	12,960	13.160	12,760	12,752	12.501	13.130	12.521	12.622	12,656	12.774	12,798
	(01) 12.454														
	REUSSLOT SPEED RACING,	261	262	222	275	249	265	270	259	258	267	269	272	230	275
	Total vueltas: 4172	13.417	13,222	13.187	13.367	13.379	13208	13513	13.793	13.689	13.470	13,292	13.327	13.189	13.37B
	(15) 13.071														
	XIBECAS BACING TEAM, [CAT]	271	273	277	259	268	267	268	255	265	277	269	275	290	268
	Total vueltas: 4311	13.089	13,258	13.194	13.348	13.552	13,479	13.361	13.671	13542	13.065	13.470	13.179	13.191	13.382
	(10) 13.085														_
	BAS CLAVAT-1, [CAT] (184)	268	263	270	258	257	272	239	255	223	258	273	257	273	263
+1	Total vueltas: 4136	13.239	12,538	13.490	13.859	14.1.28	13.481	13,771	13.868	13,800	13.320	13.024	13,700	13.508	13.541
	(02) 12.938														_
	EVOTEC KFH, (ES) (171)	290	258	290	210	243	253	244	181	238	190	259	250	254	247
	Totel vueltes: 3831	13513	13,580	13.632	14.129	14.265	13.962	13.399	14,755	14.499	14312	13.784	14.423	14.219	13.868
	(07) 13.399	-	_		_	_	_						_		
	IL CAVALINO SANREMO, (SR)	273	260	275	270	269	247	296	227	243	271	271	270	269	268
+1	Tratel vueltes: 4179	13.228	13 024	13/034	13.328	13509	13.480	13508	13 779	13,906	13 435	13.40	13.423	13591	13 394

SPEED CAR CONTROL 1:1



Ref. DS-1000

SPEED CAR CONTROL

- System made for remote speed car checking at a given point.
- Specially suitable for permanent circuits, car driving school training...

CONTROL UNIT AND ITS FUNCTIONS:

- LCD display for programming and showing the data.
- Data transmission via radio to the giant screen.
- Programming of the distance between the photoelectric sensors (1m by default).
- Shows the last data received.
- Reset.

PHOTOELECTRICS SENSORS:

- Connection to Control Unit by wire.
- Assembled in high quality tripods.

SPEED CAR CONTROL 1:1

TECHNICAL DATA

This complete system has been specially made for checking speed of a car at a given point. It shows the speed on a giant screen with three displays and also in the LCD from the "Control Unit".

This device detects the passing of a car at high and low speed at a maximum distance of 15m.

New function:

Shows three digit number that can be manualy introduced on the big screen. Usefull for drivers during a race: laps to finish, km/h record, pit lane warning, etc.

Very useful for: car driving schools, racing teams, rally and speed competitions...

Contents:

- Control unit and distance programming.
- Two sets of powerful photoelectric sensors assembled in high quality tripods.

• Two catadioptric mirrors assembled in tripods for stability.


• The display transmission and reception is made via radio to obtain the data from the sensors.

• 600 x 350mm Screen made in stainless steel with three digits made up of high luminosity LEDs.

• 2 Batteries and charger.

• Plastic box for transport all devices (it can be completely taken apart).





CHECKING TOOLS



Ref. DS-0090

POCKET CHECKER

The definite portable tool for Slot drivers!

Checks and verifies magnet and motor GAUSS, as well as the R.P.M. of motor: it is small - hence the name "pocket".
Developed version with new

characteristics and fixed sensors.

• In the case of the GAUSS, the fixed sensor allows an exact and calibred mesure of this motor characteristic.

INFO

DS introduces a new concept in the world of Slot; the Pocket Checker, a powerful measurement tool for motors and slot cars, great efficiency in a small size.

Ideal for enthusiasts that want to know a little more of their cars and motors, as well as for strict race directors when technical checking.



CHECKING TOOLS

TECHNICAL DATA

Checks and verifies the motor or axle R.P.M (revolutions per minute) and records the maximum value.

- Reads more than 50.000 R.P.M.
- Checks and verifies the magnetic field (expressed in GAUSS) in three different options:
 - Maximum value. - Actual value. -Maximum value measured during 2,1 seconds.
- LCD display (20 digits).
- Size: length: 10 cm. / width: 5 cm. and height: 2,5 cm.
- Needs a 9 V. battery (not inclueded).

This new version integrates a new and more sensible liner symmetric sensor fot the magnetic field which allows the neodymium magnet measuring.





GAUSS

DIGITAL SYSTEM

DIGITAL SYS

Ref. DS-4102

MINI CAR BENCH v.2

- Easy tool to break in and adjust your 1/32 or 1/24 Slot car.
- Perfect for quickly testing the car or chasis at any place.
- Uses internal 9V or external electrical power.
- Automatic motor break in system with adjustable timing.

INFO

The duration of the running varies depending on the next variables: the MiniCar Bench input voltage, the motor type, the voltage value selected by the VOLTAGE potentiometer selector and, of course, the value selected by the potentiometer RUNNING TIME. This time can be from the minimum of 5 minutes to the maximum of 30 minutes.



CHECKING TOOLS

TECHNICAL DATA

• Small size to allow support of any 1/32 car, but has self extracting extension will also allow you to use in larger scale cars like 1/28 or even 1/24 scale.

• Contact plates for the braids with the extentions in order to extended to allow an easy external measurement of car consumption or voltage applied.

• Sponge absorbing for car vibrations; do not allow the car to move over the bench.

• Triple power input:

a) Using an external power unit thought the 2 units of 4 mm banana plugs (red and black) fixed at one of the sides to not disturb.

b) Using the external bipolar jack transformer connection.

c) Using a 9V battery fitted inside the bench.

• External switch allow to save battery when not used.


• External fine and precise voltage regulator from the maxium given in the input to 0.

• On/off LED indicator.

• Shortcircuit protection.

• Potentiometer for motor break in time adjustment.

• 4 green LEDs indicating the duration of the automatic running



Ref. DS-4101

TESTING BENCH

Complete testing unit for Slot cars.

- Valid for any scale: 1/32, 1/28 and 1/24.
- All need sensors for privateers or professional racers: Weight balance, RPM, Magnet GAUSS,
- Car magnet attraction, Torque, Volts and Amperes.
- Automatic motor or car brake in with adjustable Voltaje and time in 6 steps.
- Backlight LCD for low ambience light conditions as enduracne racing.
- Allow testing all kind of motors up to 3 amp.
- Double encoder option, for 2mm and 1.5mm motor diameter axles.
- Motor mount for all available Slot car motors, S-can, Short-Can, Long-Can, Flat-Can, RX-Can, RS-Can.
- Data exit to PC with USB wiring and trought DS Wireless system.
- Optional Software for motor and car checking available soon.
- 24V and 8 Amp power unit included.
- Transport aluminium protection box included.

CHECKING TOOLS

TECHNICAL DATA

TESTING BENCH

- Motor torque measurement.
- Permanent display of Voltage, Amperage. RPM showed on LCD.
- Once the test is finished, Testing bench shows motor torque in gr*cm.
- Motor RPM at fix voltage.
- Automatic or personalized timing measure.
- Permanent display of Voltage, Amperage. RPM showed on LCD.
- Once the test is finished, Testing bench shows absolute maximum RPM.
- Tyre RPM at fix voltage.
- Automatic or personalized timing measure.
- Permanent display of Voltage, Amperage. Tyre RPM showed on LCD.
- Allow gear-pinion ratio.
- Once the test is finished, Testing bench shows absolute maximum RPM on tyre as well as motor RPM.

- Car weight without magnetic attraction
- Front and rear weight of the car
- Overall weight of the car.
- Magnetic attraction
- Front and rear car magnetic attraction.
- Overall magnet traction of the car.
- Motor or magnet Gauss power
- Instant magnet power.
- Maximum magnet power in 2 seconds.
- Absolute maximum magnet power.
- Gauss and weight cell calibration
- Motor brake in in 6 steps.
- Allow to program each step in time and voltage
- Voltage program from 0 to 18volts.
- Time program from 0 to 99minutes.







CONTROLLERS AND CONNECTION PLUGS

ast.



Ref. DS-0084

PROSPEED -3 ELECTRONIC CONTROLLER

The last evolution of our PROSPEED Electronic Controller includes even a more easy way to adjust brake, sensibility and antispin using a PWS controller. It allow even a wider ranges of uses than the previous version.

•All electronic compounds are fixed on a single PCB assembled inside the handle. fora a easier access and ventilation.

- Complete assembled controller, ready to use.
- Pre-assembled with 4mm banana plugs ready to use on the DS Stop&Go controllers boxes. Ready to use for negative track wiring connections.
- •Operating voltage is between 10 and 20 DC volts.
- Usefull for 1 or 2 finger driver style.
- Lightweight and friendly handle.
- •Adjustable spring tension.
- Preset 40 power map in 4 blocks
- •Optional adjustment of Antispin on each power map.
- •Brake control adjustment , form 100% to 0%.
- •Track Power reduction for Rallyslot racing or newcomers.
- •Trigger sensibility adjustment to fit most of the racing needs.

•12 intermediate progressive sections, smooth and gold plated for longterm uses.

- •LED indicator for correct function of the controller.
- •For Positive track systems (DS standard where red is negative)



INFO

DS Electronic products enter to the controller market with a fully electronic Controller, developed over years of tests, races and improvement at the best worldwide slot racing events.

Ref. DS-0128

PM ELECTRONIC CONTROLLER

DS developed a easy system to control brake and sensibility using diodes to allow a wider ranges of uses .We understand that this is the first step for a professional to start with electronic controllers.

Complete assembled controller, ready to use.

- Pre-assembled with 4mm banana plugs ready to use on the DS Stop&Go controllers boxes.
- Operating voltage is between 12 and 19 DC volts.
- •Usefull for 1 or 2 finger driver style.
- •Lightweight and friendly handle.
- Brake control adjustment , form 100% to 0%
- •Trigger sensibility adjustment to fit most of the racing needs.
- •Adjustable spring tension.
- Short circuit protection
- Gold plated contact plate to extend its working life.
- •For Positive track systems (DS standard where red is negative)

INFO

DS Electronic products enter to the controller market with a fully electronic Controller, developed over years of tests, races and improvement at the best worldwide slot racing events.

WITEC CONTROLLER

PWS fully electronic slot racing controller

- Contactless Infrared optical trigger sensor.
- Adjustable spring tension.
- Usefull for 1 or 2 finger driver style.
- Power wiring length reduced to minimize power loose
- Bi directional data wireless controller 2.4GHz.
- Remote wireless power map setup.
- Wireless live mode with Telemetry system.
- Protected Power box unit with fuse control system to avoid damages on the controller. Easy to replace.
- Lightweight and friendly handle.
- Pre assembled with 4mm individual banana plugs for direct DS plug in for negative track wiring connection.
- Preset 64 power maps for most used driving styles, classified in 4 block of 16 power maps each.
- Brake control adjustment, from 100% to 0%
- Special True Trigger Speed (TTS) brake system that helps on short and continuos brakings .
- Antispin adjustment, helps on exiting the corners without sliding working as a traction control.
- For Positive track systems (DS standard where red is negative).

INFO

DS Electronic products enter to the controller market with a fully electronic Controller, developed over years of tests, races and improvement at the best worldwide slot racing events.

CONTROLLERS AND CONNECTION PLUGS

ADAPTERS



Ref. DS-0091 CONTROLLER ADAPTER FROM FEMALE 4 mm. TO STEREO JACK 3.5 mm. for SCX / SCALEXTRIC sport.

Ref. DS-0095 CONTROLLER ADAPTER FROM FEMALE 4 mm. TO PLUG ON CARRERA CONNECTOR PLUG.

Ref. DS-0072 ADAPTER WIRE FROM BANANA PLUG TO JACK STEREO

Adapter wire from 4 mm. banana "female plug" to 6 mm. "metallic" Jack stereo.

ADAPTERS

Ref. DS-0024 4 mm, BANANA PLUGS FOR CONTROLLER

Three 4 mm. Ø bananas: red, black and white colours, for controller connection.



Ref. DS-0032 4 mm, BANANA **"FEMALE PLUGS"**

Three 4 mm. Ø banana "female plugs": red, black and white colours, for banana "male plug" connection.

Compact connector for controllers, allows an easy and direct connection to international and Stop & Go boxes. With tricolour silicon wire of 1.5 meter assembled.

Ref. DS-0011

Ref. DS-0073 ADAPTER WIRE FROM **FEMALE COMPACT** CONNECTOR TO 6 mm. **STEREO JACK**

BANANA PLUG "COMPACT CONNECTOR" WITH WIRE



Ref. DS-0010

BANANA "COMPACT CONNECTOR"

Compact connector for controllers, allows an easy and direct connection to international and Stop & Go boxes.







CONTROLLERS AND CONNECTION PLUGS

ADAPTERS

Ref. DS-0059

SILICON WIRE

plug assembled.

FOR CONTROLLER

Ref. DS-0074 FEMALE DS "COMPACT" CONNECTOR

1.5 meter with 3 coloured banana

If your track connection system is different than the DS. don't worry. you now can install in you controller the universal female DS compact box and adapt it to any track with it.

Ref. DS-0079 SCX CONTROLLER CONNECTOR

Adapter wire from 4 mm. banana "female plug" to standard SCX track connection.





FURNITURE SUPPORTS

Ref. DS-0008 2 LANES COMPACT SUPPORT PLATE

Stainless steel plate for speed circuits, prepared to fit a control box "PRO Stop & Go Box" (ref. DS-0061) and two credit card readers "DS Card Control Reader" (ref. DS-0062). The plate is 1 metre long.

RALLY COMPACT SUPPORT

Stainless steel plate for Rally circuits, prepared to fit a lap counter "DS-200 PR0" (ref. DS-2000), a power supplier, "DS-POWER 2" (ref. DS-0001), one credit card reader "DS Card Control Reader" (ref. DS-0062) and a control box "PRO Stop & Go Box" (ref. DS-0061). The plate is 40 cm. long.



Ref. DS-0009 PLATE



ADAPTERS

Ref. DS-0089 WITEC USB RECEIVER

• USB plug in key, fully compatible with USB 1.0 and 2.0.

• Individually Protected 2.4GHz link.

• Download free software from www.ds-racingproducts.com


WiTEC software has been developed together with WiTEC controller and USB WITEC receiver, to be the first slot system with wireless telemetry. It is possible to setup controller parameters by a computer. The new WiTEC system allows users to get acknowledgement what is happening on the controller in real time and detect any problem if it exists, but specially is possible to edit at 100% the power maps wireless, or what is the same, trigger sensibility. This software is free, but the USB WiTEC receiver is needed to connect with WiTEC controller.

Ref. DS-0119 WITEC FUSES

Original replacement DS-WITEC controller for protection box.









MAIDIEN

Raabok

PI4 WRC

Electronic Racing Products

"Just imagine... We did it!"





LAP COUNTER POWER SUPPLIER TRANSFORMERS

Ref. DS-0051 12 Volts DC 3 A. POWER ADAPTER

Recommended for "DS-300 PRO" or "INTERFACE" lap counters. Output: 12 V. and 3 Amp. A.C.



INFO

The DS power suppliers are universal, this means, they can be used on any kind of slot track system. It is ideal to solve all kind of current problems from the track, homogenising the current from all the track lanes.



POWER SUPPLY

LAP COUNTER POWER SUPPLIER TRANSFORMERS

Ref. DS-0002b

The track power supplier POWER-2 BASIC, is the lower and economic range of professional DS power units. With 2 Amperes it is adjustable in Voltage (8 / 10 / 12 / 14 / 16 / 18 V.). DC voltage.

TECHNICAL DATA:

- Universal use power supplier, it works with any kind of slot track system on the market.
- Automatic electronic protection for short circuits or overload cut off indicated by a led display.
- New extraflexible bipolar cable.
- Switch function using revolving commutator with six position.
- Power is on/off shown by means of a bicolour LED (green/red).
- 2 Amp of power and non limited direct current.
- For 220V. use with 36VA, stabilised and rectified current
- Size: length: 13cm, width: 9cm and height: 7cm.
- Also available with UK 220 V. plug.

JOLTAGE POSITIONS

TRACK POWER SUPPLIER TRANSFORMERS

Ref. DS-0003b

The track power supplier POWER-3, is the higher range range of professional DS compact power units. With 3 Amperes it is adjustable in 24 position Voltage (from 8'5 to 20 V.). Fully stabilised dc voltage.

TECHNICAL DATA:

- Universal use power supplier, it works with any kind of slot track system on the market.
- Automatic electronic protection for short circuits or overload cut off indicated by a led display.
- Switch function using revolving commutator with eleven position.
- Power is on/off shown by means of a bicolour LED (green/red)
- 3 Amp of power and non limited direct current.
- For 220V. use with 60VA, stabilised and rectified current.
- Size: length: 13cm, width: 9cm and height: 7cm.
- Also available with UK 220 V. plug.
- 4 mm. banana socket plug for track connetion wire.



14 OLTAGE POSITIONS

POWER SUPPLY

TRACK POWER SUPPLIER TRANSFORMERS

Ref. DS-0005

The power supplier POWER-5 gives 5 rectified and stabilised Amps. It is digitally adjustable in Voltage, from 4 to 20V. By means of a new and more sensitive device to 0,1 V. increments.

TECHNICAL DATA:

• Universal use power supplier, it works with any kind of track system on the market.

• Automatic short circuit cut off, with immediate restart by means of a button (saving controllers or power supplier to be burned).

• Track connection by means of 4mm. diameter banana connection (included) like the ones used by controllers (ref. DS.0025).

- Digital display of voltage.
- 5 Amp. of power and non limited direct current.
- With a new design of box made up with stainless steel.
- Protection fuses to avoid tension overload.
- For 220 V. use with 100 VA stabilised and rectified current.
- Size: length: 18 cm. width: 14 cm. and height: 14 cm.
- 4 mm. banana socket plug for track connetion wire.





TRACK SENSORS



UNIVERSAL SENSORS

Ref. DS-0106 2 LANE SENSOR FOR DS LAP COUNTING SYSTEM.

New reinforced structure.

New reverse sensor to make it usefull on all track systems on the market (7.8cm, 9cm. and 10cm slot distances) Extra border extensions supplied for narrow tracks. Supplied completely assembled and ready tu plug-in. Compatible with Ds-200, DS-300 and Ds-Interface Lapcounters.



Ref. DS-0107 4 LANE SENSOR FOR DS LAP COUNTING SYSTEM.

New reinforced structure. New reverse sensor to make it usefull on all track systems on the market (7.8cm, 9cm. and 10cm) Extra border extensions supplied for narrow tracks Supplied completely assembled. Compatible with DS-300 and Ds-Interface Lapcounters.





Lap counter universal infrared bridge sensor. For all SLOT tracks and number of lanes on the market.


TRACK SENSORS

UNIVERSAL SENSORS

Ref. DS-0108 6 LANE SENSOR FOR DS LAP COUNTING SYSTEM.

New reinforced structure. New reverse sensor to make it usefull on all track systems fully adjustable to any track slot distance. Includes spacers and border options to set it up directly with common track systems (7.8cm, 9cm and 10cm). Supplied in kit with preassembled wiring. Compatible with DS-300 and Ds-Interface Lapcounters.






UNIVERSAL SENSORS

Ref. DS-0109 8 LANE SENSOR FOR DS LAP COUNTING SYSTEM.

New reinforced structure. New reverse sensor to make it usefull on all track systems fully adjustable to any track slot distance. Includes spacers and border options to set it up directly with common track systems (7.8cm, 9cm and 10cm). Supplied in kit with preassembled wiring. Compatible with DS-300 and Ds-Interface Lapcounters.





TRACK SENSORS

TRACK "DEAD SECTION" SENSORS

Compatible with all the DS lap counter.

Wiring and connector for two completely assembled lanes included.

There is the option of a 2m. wire with connector for two lanes, without track section, in this way you can adapt to any track.

Available for:

- SCALEXTRIC: 155 mm. straight.
- CARRERA EVOLUTION y EXCLUSIV: Standard straight.
- NINCO: 200 mm. straight.

DS offers the possibility of manufacturing special sizes according to the costumer's needs, apart from the mentioned above.

Ref. DS-0017 SENSOR KIT FOR ESPECIAL TRACKS

Sensor Kit for universal track, you can adapt to any kind of track on the market, includes 2m. wire with connector. It does not include track section. Directions for assembling included.

Ref. DS-0098 INFRARED SPARE LED'S FOR INFRARED BRIDGES

Led from Infrared bridge may be need to be replaced after continous use during a long term (years), DS offer you the possibility to replace them without problems with the original DS infrared Leds.



Ref. DS-0081 RALLY SLOT SPECIAL infrared only with 1 sensor lateral beam



Ref. DS-0012SCALEXTRICRef. DS-0016CARRERA EXCLUSIV - EVOLUTIONRef. DS-0031SCALEXTRIC SPORTRef. DS-0058NINCO



TRACK CONTROL BOXES





1711000111

"Just imagine... We did it!"

TRACK CONTROL BOXES

Ref. DS-0117

This electronic unit allows accurately adjust the voltage from 7,2 Volts to 19.99 Volts. It also allows to regulate the brakeforce with a lineal potentiometer.

Specifications:

• 4 mm banana female socket plugs for a easy DS controller or DS compact box plug in.

Small size.

- Especially designed for the DS connection boxes DS-0022, DS-0021 and DS-0061.
- 4 mm banana plugs with Copper Beryllium contacts in order to assure the minimum waste in contact.
- The minimum unit feeding at 10 Volts and the maximum is 22 Volts.
- Voltage regulation through the high energetic efficacy STEP-DOWN switcher.
- Pre-established for 3 Amperes output current.
- Brakeforce potentiometer 10 Ohms and 5 Watts.
- 4 large red display units for a clear voltage view.





Used mainly in free voltaje race style like Rallyslot and or to allow race with a new feature like a driver handicap.

vollage

regulator

VOLTAGE

Ref. DS-0060 DRAGSTER BOX SET

Especial traffic light tree for Dragster races.



TECHNICAL DATA:

- Includes a "V" wire (ref.DS-0018) to connect the two sensors needed.
- It must be connected to the lap counter DS-200 PRO.
- Not compatible with control boxes "Stop & Go Box" (ref. DS-0021) or "PRO Stop & Go Box" (ref- DS-0061).

Ref. DS-0022

Box for the quick and easy connection of controllers and power suppliers.

TECHNICAL DATA:

- Controller connection is made by means of the international system of 3 coloured bananas. The easiest and standard way.
- These boxes are valid for any kind of controller existing on the market (Mrrc, Scalextric, Ninco, Parma, Carrera, etc.), with or without electrodynamic breaking.
- In-cable for power to track, independent for each lane (two power supplies) or common (one power supplier)
- Out-power supply to track by means of two banana connections, easy in/out driving directions.





INFO

You can have the total control of the track and races with these boxes! They start the race and stop the race all at once or when crossing the finish line, etc, depending on the programme of the lap counter.

They are valid for any kind of track on the market.

Do not use power over 20V. and 5A.

THE EASIEST WAY TO CONNECT CONTROLLERS AND POWER SUPPLIERS TO ANY TRACK!

TRACK CONTROL BOXES

Ref. DS-0021 STOP & GO BOX

Professional box for quick and easy connection of controllers and power suppliers.

TECHNICAL DATA:

- Cable with valid switch to all DS lap counters.
- Controller connection is made by means of the international system of 3 coloured bananas. The easiest and standard way.
- These boxes are valid for any kind of controller existing on the market (Mrrc, Scalextric, Ninco, Parma, Carrera, etc.), with or without electrodynamic breaking.
- Large red and green LED traffic lights to start the race.
- In-cable for power to track, independent for each lane (two power supplies) or common (one power supplier)
- Out-power supply to track by means of two banana connections, easy plug in/out driving directions.
- Start and stop control, working directly on the track's power supply, power on when starting or power off when finishing the race.

ATTENTION! It does not work without switching to a DS lap counter. We recommend purchasing the trackpower wiring set - reference DS-0053.

Ref. DS-0061 PRO STOP & GO BOX




Professional box for the quick and easy connection of controllers and power suppliers.



• With the same features as DS-0021, but with two releé (one for each track lane) for individual lane control.

• Only works if connected to DS-200 PRO, DS-300 PRO.



COMPATIBILITY CHART DS-300 / DS-030 / STOP&GO

	DS-300 Unit 1-2	DS-300 Secondaries U.	DS-0021 Stop&Go	DS-0061 PRO Stop&Go
DS-300 Unit 1-2	×	×	 	×
DS-300 Secondaries U.	✓	×	✓	×
DS - 0021 Stop&Go	✓	 ✓ 	×	×
DS-0061 PRO Stop&Go	~	 ✓ 		

CARD CONTROL

Ref. DS-0062

DS CARD CONTROL READER

A complete set of control by means of a card with "chip", it can be used for the control of club tracks, tracks for renting...

TECHNICAL DATA:

- •Allows power supply to track when the card is valid and has credit.
- LCD screen for the reading of needed information (programming, left credit, etc)
- Allows programming in different currencies.
- Direct connection to track control box "PRO Stop & Go Box" (ref. DS-0061).
- Presented in stainless steel box.



Ref. DS-0063

DS CARD CONTROL READER/WRITER

A complete control system by means of DS credit cards, together with the software included gives total control.

TECHNICAL DATA:

- Reads and writes on DS credit cards.
- PC is used for the programming and control of cards.
- Allows lane control by the track owner.
- Special software settings for the owner
- -Allows 4 different categories of customer at the same time.
- -We can save the customer's photograph through the webcam.
- -Allows setting different time zones 24 hours a day 7 days per week.
- -Each lane has independent consumption control.
- -Programmable cards.
- Timing control.
- -Allows card blocking.
- Professional control of club membership fee or race entry fee.
- Easy working.
- Allows consumption control by means of card configuration.
- Needs of DS-Rent software for working.
- Presented in stainless steel box.



TRACK CONTROL BOXES

Ref. DS-0064 **CREDIT CARDS**

Ten recordable credit card units, which can be personalised for the use of costumer card or can be used for the configuration of the readers (ref. DS-0062).

Ref. DS-0088

PERSONALISED CREDIT CARDS

Credit car personalising with your logo, address, advertising... Minimum order of 100 cards. There is the possibility of personalising with multiple colours.



ACCESSORIES

DS WIRELESS SYSTEM

Ref. DS-0110 RS-232C TO USB CONVERSOR WITH WIRELESS EMISSOR SYSTEM FOR DS300

Specially DS designed converter for modern Computer USB plug, allows to connect DS 200, 300 and INTERFACE computers to a PC for WINSLOT software use. We improve the system unit adding a DS wireless system, so it is also possible to receive your race data to your PC by protected DS 2.4Ghz wireless net. To work is needed a receiver unit (DS-0115 or DS-0111).



Ref. DS-0112 WIRELESS EMISSOR FOR DS200

Special for rallyslot or raid multi track simoultaneous race Specially designed emissor unit for multi track races, like Rallyslot, and send all data from all track to your race control for live timing.



Do your motors or cars tests and send the data wireless to your PC for live or further analysis.

Ref. DS-0111 DS WIRELESS RECEIVER FOR SUPER TOWER DS4000

Move the tower to your events or hang it everywhere, your race data will always displayed without the need of any wire.



Ref. DS-0115 USB RECEIVER FOR DS WINSLOT DATA SOFTWARE

Receive your DS-300 or DS-Interace race data in you PC for WINSLOT use. Needs DS-0110 unit to work.

Ref. DS-0116

USB RECEIVER FOR DS RALLY+ SOFTWARE

Receive your DS-200 race data in you PC for RALLY+ use. Needs DS-0112 unit to work.







ACCESSORIES

Ref. DS-0018 "V" WIRE FOR TWO SENSORS

For the assembling of two sensors to the same lap counter. It is used for time section timing between two sensors or partial timing (motor and car test).



Ref. DS-0019 STANDARD POWER SUPPLY WIRE

To be used together with another supplier in any DS lap counter.



Ref. DS-0023 BICOLOUR WIRE FOR TRACK POWER

10 metres of bicolour black/red wire of 1 mm. of section.



Ref. DS-0025 4 mm Ø BANANA PLUGS Two 4 mm. Ø banana plugs: red and

black colours, for controller connection.

RS-232 TO USB (

Ref. DS-0052

Ref. DS-0086 RS-232C WIRE,

Ref. DS-0087

RS-232C WIRE,

RS-323C WIRE,

DS CONNECTION TO PC

DS CONNECTION TO PC 3 meters of wire to connect the DS

DS CONNECTION TO PC 10 meters of wire to connect the DS lap counter to PC (9 pin for COM port).

1.80 meters of wire to connect the DS

lap counter to PC (9 pin for COM port).

lap counter to PC (9 pin for COM port).





Ref. DS-0131 RS-232 TO USB CONVERSOR



ELECTRONICS ACCESSORIES - WIRES, TRACK CONNECTIONS

Ref. DS-0053 TRACK POWER WIRING SET

5 metres of bicolour red/black wire of 1 mm. of section and 4 mm. Ø (2 black and 2 red) banana plugs for installation and connections.



Ref. DS-0070 EXTENSION WIRE FOR INFRARED BRIDGE Four metres of especial wire for infrared bridge with connectors.



Ref. DS-0094 ADAPTER WIRE TO USE DS-0061 WITH DS-INTERFACE SYSTEMS

Allow to use Pro Stop&Go controller boxes with DS -INTERFACE lap counting system.



Ref. DS-0071 EXTENSION WIRE FOR STOP & GO BOX

Four metres of szzpecial wire for Stop & Go boxes with connectors. Also works with the PRO series.



Ref. DS-0092 TENSION LINKAGE CLIPS

Set of clips with special desing that helps Carrera-Exclusiv power current supply. 6 units.

Ref. DS-0093 TENSION LINKAGE CLIPS 50 units.



ACCESSORIES

Ref. DS-0120 EXTENSION WIRE FOR SCX

2.5m meter long to keep the power stable on long tracks.



Ref. DS-0122 EXTENSION POWER WIRE CARRERA

Carrera plastic tracks system needs large quality of power units, is needed each 5 m. lenght. DS offers a 2,5 meter long to keep the power stable.



Ref. DS-0121 EXTENSION POWER WIRE NINCO / SPORT

2.5m meter long to keep the power stable on long tracks. Connection clip valid to be used on different track systems.



Ref. DS-0124 EXTENSION POWER WIRE FROM 4MM. BANANAS TO SCX TRACK CONNECTION 1.5m meter long to plug new Ds-5001 computer to SCX track system.





"Just imagine... We did u!"

ACCESSORIES

ELECTRONICS ACCESSORIES - WIRES, TRACK CONNECTIONS

Ref. DS-0125 LIGHTING KIT WITH 3V BATTERY.



Ref. DS-0126 UNIVERSAL LIGHTING KIT WITH PER-MANENT FRONT AND REAR LIGHTS.



Ref. DS-0099 RED LED Break 3mm.

Ref. DS-0100 BLUE XENON LED Front 3mm.

Ref. DS-0101 WHITE XENON LED Front 3mm.

Ref. DS-0102 YELLOW XENON LED Front 3mm.





Ref. DS-0127 UNIVERSAL LIGHTING KIT WITH PER-MANENT FRONT AND WORKING BRA-KING REAR LIGHTS.




Ref. DS-0130 BATTERY FOR LIGHTS KIT DS-0125.





DS-200 PRO AND ACCESSORIES







DS-200 PRO AND ACCESSORIES


SLOT DRAGSTERS SYSTEM






DS-300 PRO AND ACCESSORIES





DS-5001 AND ACCESSORIES






LIVE RACE WEB SERVER




LOCAL NET OR INTERNET LIVE RACE RESULT & HOSTING

LIVE "RALLY-SLOT +" WEB SERVER



LIVE "WINSLOT" WEB SERVER







IBB AUTO RACING, S.L.

La Masia, 28 08711 Òdena (Barcelona) - Spain Tel. +34 93 803 08 80 Fax +34 93 805 50 57

e-mail: info@ibbautoracing.com web: www.ibbautoracing.com

© IBB AUTO RACING, SL. February 2011. Catalogue #7. English version. Designed and developed in Barcelona - Spain. DS Racing Products 2010. www.ds-racingproducts.com SCALEXTRIC is a trademark from Hornby Hobbies Ltd. NINCO is a trademark of Ninco Desarrollos, SL SLOT.IT is a trademark of Galileo Engineering SRL SCX is trademark of Tecnitoys Juguetes SA, CARRERA is trademark of Stadlbauer Marketing + Vetrieb Ges.m.b.H. NSR is trademark NSR srl